

85.11
A47

THE AMERICAN ARCHITECT

Библиотека
Военно-Инженерной Академии
Р. К. К. А.
Инвентарь № 19866



THE CAMPANILE, RAVELLO.

PUBLISHED WEDNESDAYS IN NEW YORK
FOUNDED EIGHTEEN HUNDRED SEVENTY SIX
VOLUME CXVI NOVEMBER 26, 1919 NUMBER 2292



ARMCO IRON

Resists Rust

Build with Armco Iron—Repair with It— Use it for all Sheet-Metal purposes on your Farm

If the roof of your barn needs repairing, repair it so that it won't have to be repaired again for many years. *Make it a galvanized Armco Iron Roof.*

Also making the siding of Armco Iron. And all the other metal parts of your barn. And your silos and grain bins. And the fences of your cattle enclosures. And everything that your live stock feed or drink out of.

For Armco Iron resists rust. It is so pure and even that it takes and holds a galvanizing coat better than any other metal. The galvanizing adheres closely and does not crack or peel off, because it is securely fused with the base metal. Armco Iron tanks, litter carriers, and hog-waterers help to make

the living conditions of your cattle, horses, and hogs more sanitary.

Armco Iron is also extensively used in the manufacture of rust-resisting wire fence. Made by Page Steel & Wire Co., Pittsburgh, Pa.

Armco (American Ingot) Iron is exceptionally durable, because it is exceptionally pure and even. And because it is exceptionally durable, it is most economical in the long run for every kind of metal farm use. For durability and economy have always gone together, and always will.

Look into the matter of Armco Iron Products for your farm. Do it today, using coupon below for the purpose.

THE AMERICAN ROLLING MILL COMPANY

Box 265, Middletown, Ohio

The trade-mark ARMCO carries the assurance that products bearing that mark are manufactured by The American Rolling Mill Company with the skill, intelligence, and fidelity associated with its products, and hence can be depended upon to possess in the highest degree the merit claimed for them. The trade-mark ARMCO is registered in the U. S. Patent Office.



The American Rolling Mill Co.
Dept. 265 Middletown, Ohio

Please send me your free Bulletin, "Armco Iron on the Farm," which tells where I can get Armco Iron rust-resisting products.

Name

Street or R. F. D. No.

Town and State

Американский архитектор

95 v
A47



Early English interiors are largely dependent upon the correct selection of stained effects for their beauty.

Good Taste

You can obtain exactly the right effect and finish to carry out the various period styles and tones you desire to secure on your interiors by specifying Sherwin-Williams Stains. These Stains are rich and clear-cut in tone and scientifically right from all practical viewpoints such as those of application and permanency of color.

The number of different stained effects possible with Sherwin-Williams Stains is so great that they cannot be enumerated. Any effect that the architect desires, can be secured with Sherwin-Williams Stains. The quality has been proved by many years of use. The

Sherwin-Williams Department of Architectural Service was founded for the purpose of working with you in the development of new treatments and the solving of finishing problems. If suggestions in the form of finished panels or other helps will assist you, write to

Department of Architectural Service

THE SHERWIN-WILLIAMS COMPANY
880 Canal Road Cleveland, Ohio

Р.Ф.

946836

946836

SHERWIN-WILLIAMS PRODUCTS
ARCHITECTURAL FINISHES

ЦЕНТРАЛЬНАЯ ГОРОДСКАЯ
ПУБЛИЧНАЯ БИБЛИОТЕКА
ИМ. П. А. НЕКРАСОВА

ОТД. ИСКУССТВА И
ИЗОБРАЗИТЕЛЬНОЙ
ПРОДУКЦИИ



IVORY KEENE'S CEMENT

Chosen on its merit for the interior ornamentation of the New Field Museum, Chicago, the distinctive beauty and marble-like hardness of IVORY Keene's Cement recommends this plaster de luxe to every discriminating architect.

Booklet and specifications on request.

United States Gypsum Co.

"World's Largest Producers of Gypsum Products"
205 West Monroe Street, Chicago, Illinois

McNULTY BROS. COMPANY
1028-1036 W VAN BUREN ST. CHICAGO
PITTSBURGH CLEVELAND
ARCHITECTURAL SCULPTORS AND PLASTERERS

September 5th, 1919.

United States Gypsum Co.,
205 W. Monroe Street,
Chicago Illinois.

Gentlemen:- We used your Ivory Keene's Cement for plain and ornamental work in the construction of the Field Museum, and desire to state to you that it gave absolute satisfaction, both as to working and finished results, and lives up fully to all that you claim for it.

Yours very truly,
McNulty Bros. Company.
By *J. McNulty.*

New Field Museum, Chicago, Ill.
Architects: Graham, Anderson, Probst & White

TJM:EH



True Economy in Merchandising Building Products

The producer of goods used in building construction is confronted with a peculiarly complex marketing problem. His factory lives on orders, but orders are not to be had by the process of merely wishing for them. Moreover, the man whose money is being invested in such goods insists upon having definite proof of their dependableness.

The producer, therefore, must: (1) find opportunities for the sale of his goods; (2) prove their fitness.

The buyer of a motor car may be disposed to take a chance that will involve at most a loss of a thousand dollars or so, but the buyer of a building usually puts aside his sporting instincts and insures himself against avoidable hazards. How? By employing a competent Architect.

It is the Architect's O. K. that constitutes the owner's insurance policy.

Thus, for the manufacturer of goods of the right sort, there can be no other avenue to this particular market so direct as the avenue of sound advertising to the competent Architects who control American building. On the other hand, the producer of undependable merchandise should give the Architect a wide berth.

Sound advertising to Architects is direct in character and forceful in its presentation of essentials. It employs some medium that impels attention. Obviously, there can be no other medium so effective in this respect as the live architectural publication. It comes to the Architect's office by his invitation. It does not trespass on his time as does that modern "penny dreadful," the form letter, or the equally unhonored printed handbill.

The manufacturer who employs intelligently this direct avenue will find ALL of the market to which his goods are entitled in the architectural field—and will find it at the minimum of expense, providing always that such advertising is supplemented by equally intelligent salesmanship.

Advertising Talks—XIX
by
THE AMERICAN ARCHITECT



General Contractors
GEORGE A. FULLER CO.

Architects
FORD, BACON & DAVIS
of New Orleans

Broad Areas of Light with Ample Ventilation

The government specified these advantages as the basis for the mammoth Army Supply Base at New Orleans, because:

1. A tremendous amount of war material had to be handled in and out of these warehouses in record time.
2. Every foot of floor area had to be made useful.
3. Dark aisles and dusky corners, where tags and numbers are easily overlooked or confused, could not be tolerated.
4. These big storehouses, holding millions of dollars worth of merchandise, had to be fireproof.
5. The building had to go up in record time and without a hitch in construction.

Fenestra Solid Steel Window Walls Met the Demand

The New Orleans Supply Base was the last army depot started and the first completed, and it stands today as a landmark in up-to-date, fireproof, warehouse construction.

You can secure the same advantages that the government secured if you specify Fenestra for your new building. Why not join the thousands of other manufacturers and warehouse owners who are securing maximum results from their buildings through the use of Fenestra Window Walls?

Fenestra

SOLID STEEL WINDOWS

Detroit Steel Products Company, 3109 E. Grand Boulevard, Detroit, Mich.

Boston New York Philadelphia Washington Chicago San Francisco Hartford Buffalo Newark Richmond Baltimore

Exclusively for sale by Canadian Metal Window Company, Limited, Toronto, Canada

THE AMERICAN ARCHITECT

Founded 1876

Volume CXVI

WEDNESDAY, NOVEMBER 26, 1919

Number 2292

Contents

UNITED STATES ARMY SUPPLY BASE, BROOKLYN, N. Y. Cass Gilbert, Architect	651
DOOR-KNOCKERS	659
EDITORIAL COMMENT	661
CURRENT NEWS	663
FINANCIAL DIGEST	667

Illustrations

GATEWAY OF THE SUN, TOLEDO. (Frontispiece)

UNITED STATES ARMY SUPPLY BASE, BROOKLYN, N. Y.
Cass Gilbert, Architect (7 plates).

Department of Architectural Engineering

UNITED STATES ARMY SUPPLY BASE; NEW ORLEANS, LA. 669

Published Every Wednesday by
THE ARCHITECTURAL AND BUILDING PRESS, INC.
No. 243 West Thirty-ninth Street, New York

E. J. ROSENCRANS
President and Treasurer

WILLARD C. HOWE
Vice-President


WILLIAM H. CROCKER, Editor

EDWARD F. HAMMEL
Engineering Editor

ARTHUR T. NORTH
Western Editor

CHICAGO, Mallery Building, Page A. Robinson, Western Manager
CLEVELAND, Guardian Bldg. ST. LOUIS, Arcade Bldg. SAN FRANCISCO, 320 Market St.
Subscriptions in the United States and Possessions, Mexico and Cuba, Ten Dollars. Other Countries,
Twelve Dollars, Payable in New York Funds. Single Copies (Regular Issues), 25 Cents.

Owned by United Publishers Corporation—H. M. Swetland, President; Charles G. Phillips, Vice-President; W. H. Taylor, Treasurer; A. C. Pearson, Secretary. Entered as second-class matter January, 1909, at the Post Office at New York, New York, under the Act of March 3, 1879.

*The Perfect Radiator Valve***CRANE - 220**

A—Special Stuffing Box is always tight. B—Crane Patent Stop prevents jamming. C—Disc Spring prevents leaks.

The Stuffing Box is specially designed for radiator valve service. It is not packless but it will outlast and stay tight longer than any other stuffing box irrespective of the design, name or packless features.

Use it on any steam, vapor or vacuum job.

1855

CRANE CO.


1919

836 South Michigan Avenue
Chicago

Branches in 56 leading cities.

Фундаментальная
Библиотека
Военно-Инженерной Академии
Р. К. К. А.

Инвентарь № _____



GATEWAY OF THE SUN, TOLEDO

THE AMERICAN ARCHITECT


TOLEDO, SPAIN
GATEWAY OF THE SUN
1907

THE AMERICAN ARCHITECT

VOL. CXVI

WEDNESDAY, NOVEMBER 26, 1919

NUMBER 2292



BIRD'S-EYE VIEW OF BASE, LOOKING FROM NEW YORK HARBOR

United States Army Supply Base

BROOKLYN, NEW YORK

CASS GILBERT, *Architect.*

It was never necessary at any time during the war for any architectural firm called upon by the Government for emergency work first to perfect an organization that would make possible the quick and efficient progress of that work.

THE AMERICAN ARCHITECT on many occasions referred to the fact that in no other professions having to deal with large undertakings was there a better organized personnel than among architects. To support this contention, there were cited from time to time many proofs. Large hospitals were designed, planned and the contracts let, in record time. Here in New York, when the city was engaged either in the welcoming of representatives of our Allies, or in the many decorative schemes to further the "drives" that were made, firms of architects accomplished with their usual working organizations marvels of speed and efficiency.

In this issue there is illustrated one of the best conceived and most expeditiously and efficiently executed of all the Government's hastily entered upon operations. It will not be necessary to direct the attention of an architectural reader to the dignified character of the architectural treatment of this project. Mr. Gilbert has simply created a group of the most utilitarian buildings, clothed them with the highest expression of good architectural design, and added still another example to the buildings evolved by his genius that will enduringly stand as a monument to a great architect.

Just at this time of demands by labor in all parts of the country—demands that it is widely believed are not altogether based on a just regard for the general welfare or the future stability and dignification of labor—it is interesting to be able to point out that architects are to-day creating buildings in

Фундаментальная
Библиотека
Инженерной Академии
P. K. K. A.
ИЗДАНИЕ №

THE AMERICAN ARCHITECT

which labor will find a shelter for its activities, as dignified and well considered as are any of the buildings which capital occupies for business enterprises. It will now be a good time calmly to consider whether or not unreasoning leaders, who do not at present really lead, could not so plan their future activities as to be worthy of the surroundings in which they are, as in this instance and many others, placed.

It will compensate every architect many fold to study this Army base group, for, as what may be called an emergency effort, it presents for consideration many of the problems as to substitution of materials and of methods that the war produced.

And, further, when the question shall arise as to just what part and to what importance architecture played during the great conflict, we may point to this group as one of the irrefutable arguments that architects were ready and competent to meet every call that the Government could make on their profession.

Certain features as to the architectural engineering problems that are not apparent in the illustrations are covered by the following brief description:

In the early part of 1918, Congress, at the re-

quest of General Goethals, Director of Storage and Traffic, made appropriations for the construction of five terminal storage plants of mammoth proportions, to be located along the Atlantic Seaboard, and one on the Gulf, all to be used for the storage and trans-shipment of Army supplies for the American Expeditionary Forces in France. Two of these are illustrated in this issue. They are those located at Brooklyn, N. Y., and New Orleans, La.

The Army Supply Base in Brooklyn has the distinction of being the largest of this group of terminals, while the New Orleans Base, described and illustrated in the Department of Architectural Engineering, holds the record for rapid construction.

A careful study of the various sites available for these terminal warehouses was made before their final selection was arrived at.

Before determining the site for the Brooklyn Base the available properties in the entire New York Harbor, both on the New Jersey and the New York shores, were carefully investigated, but the pre-eminent advantage of the Brooklyn site favored its selection. The property was available for immediate development, and was of sufficient size to permit the erection of warehouses having the proportions contemplated and also of the piers necessary in connection therewith to meet the needs of the War Department for this, the greatest of all ports. The property fronts on the deep-water channel at the pier-head line, and an investigation of the underlying soil conditions revealed the fact that it was possible to obtain excellent foundations for the warehouses as well as the piers. In addition, the site is immediately adjacent to the Bay Ridge Terminal of the Long Island and Pennsylvania Railroads, and has direct rail connections with the New Haven Railroad over the Hell Gate bridge, also direct connection with the Bush Terminal property, which had at that time already been leased by the War Department. The site of this base is located between 58th and 64th Streets, and between the pier-head line and Second Avenue, and comprises approximately 100 acres of ground.

Both elevated and subway transit facilities were available for bringing workmen to this location, so that it was possible to obtain an efficient and adequate supply of labor




A WAREHOUSE AND CONNECTING BRIDGE

THE AMERICAN ARCHITECT

559

NEW YORK BAY
1515'-8"



TOTAL YARD CAPACITY 1255 CARS
 TOTAL MILEAGE OF TRACKS 17
 TURNOUTS
 2 - #4
 4 - #8
 166 - #6

UNITED STATES ARMY SUPPLY BASE, BROOKLYN, N. Y.
 CASS GILBERT, ARCHITECT

THE AMERICAN ARCHITECT

from the population of the Borough of Brooklyn.

Originally it was intended to provide an aggregate of 6,000,000 square feet gross of warehouse space, three double-decked piers, 150 feet wide by 1,300 feet long, one open pier, 60 feet wide by 1,300 feet long, and storage yards for approximately 1,300 cars. This would provide storage capacity for at least 700,000 tons of supplies, equivalent to about 100 average ship loads.

Shortly after the work was started, the Director of Storage ordered a reduction in size of warehouse space, thus reducing the gross area of warehouses to approximately 4,000,000 square feet, and increasing the railroad storage yard.

The preliminary plans for the base were developed by Mr. Cass Gilbert, architect, and submitted to General Goethals, in February and March of 1918, and in the early part of April General Goethals approved the original plans which had been prepared, and requested the Emergency Construction Committee of the War Industries Board, Colonel W. A. Starrett, chairman, to approve the selection of Mr. Cass Gilbert as architect for the base, and the Turner Construction Co. as the general contractors.

The preliminary plans included the piers, buildings, railroad yard plan and, in fact, the general development of the entire site, all of which were included under Mr. Gilbert's contract.

These recommendations were concurred in by the Construction Division and by the Emergency Construction Committee, and later were approved by the War Industries Board.

It is interesting to note that while the project was before the War Industries Board for formal approval, considerable objection developed against the location of the base in Brooklyn, from two entirely different angles—first, from some of the railroads, and second, on the broad ground that the Port of New York was already congested by the very large percentage of exports and army supplies of the country handled here, and, therefore, should not be further congested by centering such a large supply base in the harbor. A careful presentation of the facts overcame these arguments, however.

Lieut.-Col. (then Major) H. S. Crocker was appointed Constructing Quartermaster and served in that capacity throughout the work; acting under the direction of Brig.-Gen. R. C. Marshall, Jr., Chief of the Construction Division, U. S. Army.

The formal contract, on the emergency form for the construction of the base, prepared by the Construction Division, was executed on May 6th, 1918, and the contract with Mr. Gilbert, architect, was prepared and executed at approximately the same time. Actual work on the site started on May 15th, nine days later.

While the base has been designed and constructed as a war emergency to handle supplies for overseas shipments, the design of the warehouses and piers is such that the project has practically equal value in peace times for handling the commerce of the Port of New York. The piers, together with Warehouse A, make one of the best shipping terminals in the harbor, and the warehouses on both sides of First Avenue can readily be converted, if desired, into manufacturing buildings. With the present demand for such structures ever increasing as the country reverts from its war status to that of peace, there is no doubt that the buildings can be advantageously used for such purposes. It will readily be seen, therefore, that the Government has made an investment which it is reasonable to expect will increase in value with the great future developments of the port of New York and pay adequate dividends.

As will be seen from reference to the location diagram and photographs, the buildings at this base are five in number, consisting of two large warehouses, A and B, an Administration Building, a boiler house and repair shop, all constructed of reinforced concrete.

The two warehouse buildings are so located that their long dimensions are parallel to the bulkhead lines, Warehouse A being 260 feet from the bulkhead, and Warehouse B 150 feet distant from Warehouse A. First Avenue passes between the two buildings. The Administration Building is located to the north of Warehouse A, and the boiler house is placed between it and the bulkhead.

One of the important items considered in planning the work was the location of the railroad tracks, which are so arranged that freight may be taken to the piers direct and unloaded from the cars into ships, or it may also be unloaded into either of the warehouses for storage or classification, and then by means of large elevators and storage battery trucks, can be rehandled to the piers. It is interesting to note that supplies can be moved from the building to the piers on two entirely independent levels.

One of the important matters which had to be considered in designing the engineering features of the work, was whether these should be designed in conformity with the requirements of the local building department, or whether such restrictions should be deviated from, on the side of economy. Inasmuch as the future use of the buildings in peace time had to be constantly considered, it was felt desirable that such design should conform with the local requirements, in order that no difficulties would be encountered in case any part of this base should be acquired by private interests in the fu-

THE AMERICAN ARCHITECT

ture. As is well known, it was very difficult at this time to obtain large quantities of structural steel, and for this reason such material was eliminated in the design wherever possible and reinforced concrete used almost entirely.

Warehouse A is 980 feet long by 200 feet wide, 8 stories and dock story high, with columns spaced 20 feet in either direction. The foundations are of reinforced concrete of the type known as spread footings, the design being based on an allowance of three tons per square foot on the sub-soil. Under a small portion of the building a continuous mat

A granolithic floor finish, placed after the floor slabs had set, has been used generally, with the exception of the main trucking aisles and loading platforms, in which locations block mastic floors were used.

Warehouse B is 980 feet long by 300 feet wide, containing an interior court 66 feet wide. The building is eight stories and basement high. The foundations are similar to those described for Warehouse A, except for the north one-third of the warehouse, where concrete piles were used in order to eliminate the extensive amount of excava-



LOOKING TOWARDS THE WATER FRONT AND PIER 4. WAREHOUSE A ADMINISTRATION BUILDING AND CONNECTING BRIDGE

footing was used on account of inferior sub-soil conditions.

The columns are spirally reinforced and in the floor and roof slabs the two-way reinforced concrete girderless type of floor construction, representing the latest development in building construction, was used. All stairways, the elevator pent houses and towers are constructed entirely of reinforced concrete.


In buildings of the length mentioned the item of expansion and contraction is a serious one. Unless adequate provision is made internal temperature stresses develop, causing cracks in the construction. The two warehouses have four transverse expansion joints, dividing columns, floor, and roof slabs above the footing level. The slab joints are covered by sliding steel plates and the roof joints are protected by "V"-shaped copper plates.

tion which would have been required had spread footings been used. The column spacing and type of construction in Warehouse B are the same as for Warehouse A.

As will be seen from the illustrations, the court is protected on top by a skylight roof supported by steel trusses and purlins. This court will be equipped with three electric traveling cranes at the roof level. The cantilever reinforced concrete receiving balconies, which project into the court at each floor, staggered in order to permit landing freight on all balconies, can be clearly seen in the illustration.

The boiler house is 137 feet long and 88 feet wide, supported on wooden piles loaded to 15 tons per pile. The entire structure up to and including the boiler room floor consists of reinforced concrete beam and girder construction, while above this level, the interior framing is of structural steel

THE AMERICAN ARCHITECT



STRUCTURAL DETAILS OF PIERS—UNITED STATES ARMY SUPPLY BASE, BROOKLYN, N. Y.
CASS GILBERT, ARCHITECT

THE AMERICAN ARCHITECT

with concrete exterior walls. Both floor and roof slabs and coal bunkers were originally designed in reinforced concrete, but later, due to circumstances, T iron and book tile were substituted for a portion of the roof. The heating and other supply lines are run through a system of service tunnels, below grade.


The Administration Building is 204 feet long by 54 feet wide, four stories and basement high, with provision made in the design for the addition of three stories, if desired in the future. The building is supported on spread footings similar to those used for the warehouse buildings. The columns are of reinforced concrete with spiral reinforcing and floors are of reinforced concrete of the beam and girder type. The electrical conduits and other pipes are, so far as it was possible, concealed in the fill on top of the floor slabs, and in tile insulation in exterior walls. The floor finish is granolithic, except in special locations where tile floors were used.

One of the most interesting features of the mechanical equipment of these buildings is the elevator installation, which was furnished under contract by the Otis Elevator Co. It is noteworthy that this installation in the buildings and piers combined make the largest ever attempted. A total of 96 elevators, of which six are for passenger service, are provided. All the freight elevators have a capacity of 10,000 pounds, traveling at a rate of speed of 150 feet per minute, and are so arranged that they may be operated by central operators handling a bank of elevators with automatic control. This system of operation would eliminate individual operators on each car. However, provision has been made for operation by operators on each car, if desired. All freight elevators have automatic doors provided with safety locks, to prevent the premature starting of the cars. No car can leave the landing until the door is both closed and locked. On each of the three covered piers there are six elevators, and provision has been made for placing six additional elevators, to be installed at any future time, if desired. These are controlled by push buttons at the landings, momentary pressure on a button calling the car to one level or sending it to the other, as required. This method of elevator control was fully described in *THE AMERICAN ARCHITECT* of August 6th, 1919.

In Warehouse A there is a total of 30 elevators, arranged in groups of ten; in Warehouse B, six banks of seven elevators each. The elevators in these two buildings are identical in all respects. In addition, one passenger elevator is provided in building A and two in building B, with a speed of 300 feet per minute and a capacity of 3,000 pounds.

The freight elevators are controlled by dispatchers, each of whom has one bank of elevators under his control. All of the operators for one building are grouped at a central station, located on the third floor, from which the movements of all elevators can be controlled by push buttons. By the momentary pressure of any one of the buttons a car can be sent to the desired floor and as the car reaches the floor the doors at that floor will automatically open and remain open, holding the car inoperative. After the car has been loaded or unloaded the doors are closed by the pressure of a button at the floor, and the dispatcher may again move the car.

Telephones are provided at each landing so that the freight handlers may telephone to the dispatcher to direct the movements of the car which has been loaded. It is not intended, however, under normal operation to use these telephones, as each elevator



TYPICAL FLOOR IN BUILDING A

is intended to be operated on a pre-arranged schedule.

Due to the large area covered by the several units requiring the service of mechanical and piping equipment, and the distance separating these units, numerous problems relating thereto were encountered and successfully solved. For instance, the area to be drained required the construction of an entirely new sewer and rain water disposal system, involving the installation of cast iron piping up to a diameter of 30 inches. These two systems are entirely separate, the rain water discharge emptying into tide water, while the sanitary sewers discharge into existing sewer lines or tide water.

The electric current for these buildings, furnishing light and power, is taken from the Edison Service, and new 6600 volts, 6 cycle, 3 phase underground lines have been installed direct from the Edison Power House at 69th Street. In addition, space has been provided in the boiler house for in-

THE AMERICAN ARCHITECT

stalling the necessary generating units and additional boilers should it be desired at any future time to generate electric current at the premises.

Heat for all buildings and the piers is furnished from the central boiler plant, in which six water-tube boilers of 440 horsepower capacity (normal rating) are installed. Should it be desired to increase the capacity, this may be done by forced-draft equipment. The stack of the boiler house is 12 feet in diameter at the top, and 225 feet high above the north corner of the boiler house.

High pressure steam is carried to the several buildings and piers in underground tunnels and trenches, the pressure being reduced for each purpose, and distributes to direct radiation units, with an automatic vacuum return system.

In the design of the plumbing equipment, the utilitarian character of these units has received first consideration, and the fixtures are of simple pattern but of durable construction. Waterclosets and urinals are provided with flush valves in place of wooden tanks. Shower bath facilities are provided where required for the convenience of the terminal employees, and an emergency hospital is equipped with all modern sanitary fixtures.

For fire protection, the warehouses and piers have been protected throughout with a complete system of two-source supply automatic sprinklers, meeting all requirements of the National Board of Fire Underwriters. Where portions of the ware-

houses or piers have a large number of openings for the handling of freight, thus permitting low temperatures in these portions in the winter time, the sprinkler system has been arranged on the dry pipe principle.

In addition to the sprinkler system, stand-pipe lines have been provided throughout each building and pier unit, and in addition to the regulation 2½-inch hose outlets, 1½ auxiliary hose outlets are provided at intervals throughout the warehouses, connections being made direct to sprinkler system.

To provide against the spread of fire, numerous fire-walls with automatic and self-closing doors protecting the openings have been provided, which divide the warehouses into areas of comparatively moderate size. Outside the buildings numerous fire hydrants are placed at suitable locations and Monitor nozzles have been installed along the roof of the piers.

The cost of this entire project, in round figures, is \$32,500,000.00. The satisfactory results attained in its construction and the speed with which it was erected were due in no small measure to the remarkable spirit of co-operation which prevailed at all times among the forces of the Construction Quartermaster, representing the War Department, the Architect, who planned the work, and the Contractor, who executed it, all of whom united their energies to aid the Government to the best of their ability successfully to terminate the war.



WAREHOUSES A AND B WITH CONNECTING BRIDGE

Door-Knockers

MOST people pay little attention to the style and expression of a door-knocker, writes "Aero" in a recent issue of the *Architects' Journal*, and would be surprised if they were told that the Greeks used knockers in the form of rings on the doors of temples as Old Homer states: "Silver the lintels deep-projecting o'er, And gold the ring-lets that command the door"; that the Romans designed a very modern-looking maculus such as the head of a fearsome lion holding a ring in its mouth; and that research at Pompeii brought to light an instrument in bronze something like a pestle of a mortar, found suspended to a door by a chain, with a large ring like a quoit for the pestle to strike upon.

Numerous examples of door-knockers survive from mediæval times. Of these are the rings, by which the latches were lifted, serving as knockers, a large nail being driven into the door for the ring to strike on. In this fact will be found an explanation of the common phrase in old books "he knocked at the ring"; and perhaps the modern legend "Knock and Ring" will, in view of this revelation, be regarded with more respect. The finest examples of the *matello di posta* belong to the Italian Renaissance, when the fancy of the craftsman had free play for expression, and the curious tradition of the goldsmiths caught some part of the architectural qualities of the buildings. Shakespeare was acquainted with specimens of door-knockers in Warwickshire. Perhaps he was impressed by their significance when he was haled before the justice at Charlecote, a fact remembered in the "Taming of the Shrew" when Petruchio and Grumio arrive before Hortensio's house in Verona. In England during the seventeenth century door-knockers of various types were produced to embellish entrance doors, particularly in the towns. These ranged from the simple ring types to those formed like the heads of lions. In France the design of the *heurtoir* proceeded on more showy lines. There was the tradition of Cellini to work upon, and many a strange conceit appeared in metal, as Bury shows. The lion's head became the accepted symbol, both ornamental and useful, embellishing the doors to the strongholds of Englishmen about the time William of Orange took up his domestic pleasures at Hampton Court, and, finally while Queen Anne sipped tea, Isaac Bickerstaff published No. 105 of the "Tatler," including the notes given in the next few lines: "A very odd fellow visited me to-day at my lodgings, and desired encouragement and recommendation from me for a new invention of knockers to doors which he told me he had

made, and professed to teach rustic servants the use of them. I desired him to show me an experiment of this invention; upon which he fixed one of his knockers to my parlor door. He then gave me a complete set of knocks, from the solitary rap of the dun and beggar, to the thunderings of the saucy footman of quality, with several flourishes and rattlings never yet performed. He likewise played me some private notes distinguishing the familiar friend or relation from the modish visitor; and directing when the reserve candles are to be lighted. He has several other curiosities on this art. He waits only to receive my approbation of the main design. He is now ready to practice to such as shall apply themselves to him; but I have put off his public license until next court day. N. B.—He teaches under ground."

There is one type of door-knocker that makes an especial appeal to lovers of the days when Hogarth limned and Fielding, after business hours at Bow Street, compiled "Tom Jones" in the evenings; it is that curious form of console knocker known in some quarters as the Doctors; for what reason no man knows. We find traces of it in Mayfair; it is possible that Dr. Heberden had one fixed to his door in Pall Mall; that Joseph Andrews was familiar with its thunderous announcement of visitors to his fashionable lady. Made of brass, gigantic in proportion, it requires not a little physical effort and a great deal of courage to use it in the proper way. This type, together with the varieties of lions' heads, both brass and iron, continued to employ generations of footmen and link boys from the spacious days of Anne until Tom and Jerry wrenched the insignia of dignity from the stout doors in emulation of the pranks of the noble owner of Carlton House.

Towards the third quarter of the eighteenth century the braziers of Brum were busily engaged in preparing wares of more delicate outline. Adam and his brother were sketching knockers, evolving vases and festoons to please the fashionable ladies of London; the Wyatts were watching the doings of the men from the north, and every considerable ironmonger in the Strand and Cheapside was rearranging his stock and ordering in a gross or so of the latest pattern of door-knocker. On occasion, Adam could produce a particularly dignified specimen such as the knockers to the gates of Lansdowne House in Berkeley Square. It is possible he took an idea from the remarkably fine ones designed by Kent for Devonshire House near by. In my opinion a finer knocker than Kent's has never been cast. No wonder Holland, with his new-fangled Græco-Roman, was constrained to produce the head of Minerva fashioned as a door-knocker.

THE AMERICAN ARCHITECT

He gave the lead to Leverton, and so fashion received another fillip. Only the most distinguished of the London houses sported the head of Minerva; twenty or thirty years later the builders of Guildford Street seized upon this model for their work, but they could not afford bronze and had recourse to cast-iron.

Soane favored many types, ranging from lions' heads to those of Egyptians; and well into the 'twenties the practice of imparting a quasi-Empire style to the outline of the door-knocker continued. I have rather a fancy for the knockers designed by George Maddox, and quite an admiration for the metal work of Vulliamy. The mere catalogue of door-knockers and their variety is appalling. There are the brass and iron knockers of Wendover, the lions' heads, vases and sphinxes of St. Alban's, the iron masks of Exeter, and the noble rappers of Rochester. Every Cathedral City has a distinguishing regiment of door-knockers, marking the houses of minor canons and other ecclesiastics. If I had a London Directory of 1785 before me I could turn up the names of the Royal Academicians then living in Berners Street, and guess at the type of knocker enriching their individual doors, and I could repeat the process from Curzon Street in the West to the mazy labyrinth beyond Wellclose Square, east of the Tower of London. Frequently in my ramblings abroad I note the productions of the Carron Company cast in the 'thirties, a goodly crowd of dissenters still adhering to Paganism, as witness the diminutive head of Mercury with a particularly lengthy striker, the arms of which depend upon the swivel on either side. Then I chance upon the head of a ram, "all done in cast-iron," a sure sign that the district is a populous one, for this particular knocker is peculiar to the small

houses and cottages of the early industrial age. Sometimes my eye catches a door-knocker formed with an oval center of brass, in which, tartly obliterated by the application of aquafortis, can be traced the name of a long-vanished tenant. . . .

And so as I wander about in speculative mood, nothing enables me to estimate the character of the people, past and present, nay, even the features of the reigning monarch, contemporary or otherwise, more than the appearance of the furniture to the front door. A door-knocker is calculated to inspire even the boldest with awe. First we view it with suspicion, much as the Egyptian in doubt approached the sphinx; secondly we use it; and in the interval of knocking and waiting try to read the character of the person on whom we are calling. The jolly old lion-faces of the eighteenth century are passing. You were always sure of a welcome behind such doors; the fiercer lion masks of the legal district are more tenacious; there are still a few Empire knockers in the neighborhood of the Foundling, and a greater number of the wreath and hand variety in the decaying parts of Camden Town. I have seen the brass knockers of Spalding, especially those on the doors of old-time ladies' schools; the iron and brass strikers of King's Lynn, with the brazen numerals over, and the learned knockers of Oxford and Cambridge (particularly the quaint one that is a rebus on Brasenose) which protect the Dons by reason of their forbidding aspect. Some time ago I investigated Belgravia and found few of the houses fitted up according to tradition; even the Victorian bell-pulls had given place to electric pushes. So passed the glories of the world, but for my past nothing shall ring the head of Minerva from the center style of my front door.



IN order to supply our readers with material of current interest, the news and comment appearing in issues of THE AMERICAN ARCHITECT delayed by the printers' strike will be as of actual rather than stated date of publication.

The A. I. A. Report on Unionism

THE report of the Committee on Unionism, presented by its chairman, J. Monroe Hewlitt, at the recent meeting of the Board of Directors of the Institute, is an admirable one, and its treatment by the Board and the resolution passed are equally to be commended.

The Committee recognizes that the real question at issue is that of the closed shop and that it is absolutely necessary that this question be definitely answered by the profession before there can be any consideration of details. The Board places itself squarely on record as favoring vocational organization for any beneficial purpose of everyone connected with the profession of architecture, either employer or employee, provided such organization is for the purpose of improving the qualifications of members and their opportunities for service.

This is really the essence of a correct spirit of unionism. It means the uplift of not only the profession itself but accomplishes by direct influence on all of the arts and crafts with which architecture is allied an equally beneficial result. It takes no note of those sordid elements that now are the dominating influence that surround organized labor and that are the main arguments of those misguided minds that seek to extend unionism to every possible field.

IF we should ever make unionism a worth while consideration, it will be when the purpose is accomplished exactly along the lines that the A. I. A. Committee has indicated. The reference to the ancient guilds, the parallel drawn in this report is exactly correct. It is only when those clamoring for unionism among the employee body in architecture thoroughly digest and act on this principle that they will be able to command respect and deserve encouragement.

The detrimental effects of the principle of the closed shop as applied to unionism in the profession of architecture would be so far-reaching in their

disastrous influences as to destroy everything that a higher unionism might stand for. Such affiliation as would be implied under an open shop, would, as the Board very logically concludes, "endanger the sense of professional obligation for service to the public, which is the foundation of architectural practice."

THE dissimilarity between the unions as now organized and the old time guilds is so marked as to leave no resemblance. If it were possible to create a similarity, to restore those amicable relations between the employee and the employer, the art of the craftsman would receive an impetus greater than ever before. The relation that should really exist between the architect and the craftsman would become one of the closest and most valuable association. Upon the efficiency of craftsmanship, as this report so accurately states, depends the vitality and beauty of architectural enrichment. It is to the architect that the craftsman really looks for the real effort that will lead to the solution of these problems, to a closer and more efficient relationship, and it becomes the duty of the profession to see to it that the craftsman shall not look in vain.

The Proposed Capitol Park at Albany, New York

CONSIDERABLE discussion has arisen over the question of the use, for park purposes, of property purchased by the State for the site of the new State Office Building in Albany, and the location of the office building on land to be purchased on the south side of State Street. Something can, perhaps, be said on both sides of the question, but, after a careful study of the design for the new building, the following facts appear:

An open space of ground, with grass and trees, whether laid out in a formal park or only its natural beauties properly cared for, is always, of course, a source of pleasure and added beauty to

a community, wherever situated. In this case, however, it would seem necessary to consider to some extent, at least, the fact whether a harmonious beauty, combined with economical utility, can be accomplished by the use of the site already purchased and in connection with which considerable time and money has been spent.

THE plea that the additional cost of a new site would be to a large extent covered by a saving in the cost of foundations has not been borne out by the test borings already made on the site, as these do not disclose any unusual conditions, but establish the fact that on this site, at least, a building could be built on an ordinary foundation of sufficient carrying strength, while on the State Street site suggested, the soil conditions are unknown.

It would be a great architectural and artistic mistake to duplicate the Education Building on a corresponding site on State Street and facing the present building. Duplication, when placed in close proximity, detracts from the original, and this building, in its stately beauty, should stand alone as an emblem of the ideal for which it was built.

The design of the State Architect for the new office building is of unquestioned classic beauty in itself, as well as its harmonious blending with both the Capitol and Education Building. If it is placed on the site now chosen, there will be approximately 270 feet of park between it and the Capitol, with an additional parking inside and between the two wings of the building of 107 feet. The site is 350 feet deep, while the park at the rear of the Capitol is approximately 105 feet. The entire length of the colonnade of the Education Building is approximately 425 feet. This will leave nearly 2/3 of the space between the rear of the Capitol and Swan Street clear for parking purposes, and will give a view of the Education Building from different angles on State Street and the park that to many will be more attractive than if the whole building were exposed; this being particularly true because the office building, while blending with the Education Building, is at the same time designed, through contrast, to enhance its beauty.

THE placing of the Telephone Building on its present site was, of course, a serious error, but the design for the new office building can hardly be compared to that. The park, with the building, as now designed, when completed, will be one of the most beautiful in the State, and as a foreground for the Education Building, will hardly detract from its beauty.

The site south of State Street, together with the block between the Education Building and Academy Park are very logical outlets for future expansion.

If these sites, when it becomes necessary to use them, have harmoniously designed buildings, with sufficient parking to insure an artistic setting, Capitol Hill may yet, in spite of many past mistakes, become a Civic Center of which Albany and the State may be justly proud.

Standardization in the Building Industry

MANY of the difficulties that to-day confront the building industry are undoubtedly due to lack of standardization, and a proper co-ordination of what are now conflicting elements. This lack is probably more apparent in building codes, and state legislation which applies to licensing and inspection as referring to building.

In fact we may go carefully through all the various phases of a building from its inception to its completion and subsequent maintenance and find in every department the strongest arguments for standardization.

Codes vary, and to a large extent, in different cities. Methods of financing are in no two places alike, methods of bidding and building inspection are likewise different. Viewing the country broadly, the operations as referred to building so radically differ, even in nearby localities, that there can be no co-ordination of effort as securing uniform methods of procedure.

Reference has been made in these columns to many different forms of estimating contracting, and it has been pointed out that the ability of contractors to give the best result is largely dependent on the adoption of a method that will become universal and rid the business of estimating and contracting of the loss in dollars it now so often and so needlessly suffers.

If it could be made possible for manufacturers of building materials and accessories to standardize their product, there would at once result a very decided increase in quality and a marked reduction in cost. Every architect knows that his catalogue files are filled with scores of pamphlets illustrating and describing essential units that vary exactly in number to the firms producing them.

Quantity manufacture placed this country in the first industrial rank, but the construction industry has now become so unstandardized that quantity production has become greatly retarded and in some instances impossible.

Standardization has not only become desirable, but it may be safely stated that the lack of it is a pronounced menace to the future of the building industry. The subject is one that may well claim the attention of all organized architectural bodies.



PLATE 179

UNITED STATES ARMY SUPPLY BASE, BROOKLYN, N. Y.
CASS GILBERT, ARCHITECT



PLATE 180

UNITED STATES ARMY SUPPLY BASE, BROOKLYN, N. Y.
CASS GILBERT, ARCHITECT



PLATE 181

UNITED STATES ARMY SUPPLY BASE, BROOKLYN, N. Y.
CASS GILBERT, ARCHITECT



PLATE 182

UNITED STATES ARMY SUPPLY BASE, BROOKLYN, N. Y.
CASS GILBERT, ARCHITECT



PLATE 183

UNITED STATES ARMY SUPPLY BASE, BROOKLYN, N. Y.
CASS GILBERT, ARCHITECT



Court in Building B, showing arrangement of cantilever balconies served by travelling cranes, handling supplies direct from rail to warehouse.
PLATE 184 UNITED STATES ARMY SUPPLY BASE, BROOKLYN, N. Y.
CASS GILBERT, ARCHITECT



PLATE 185

POWER BUILDING
UNITED STATES ARMY SUPPLY BASE, BROOKLYN, N. Y.
CASS GILBERT, ARCHITECT

Current News

Late Happenings and Comment in the Fields of Architecture and the Allied Arts

In order to supply our readers with material of current interest, the news and comment appearing in issues of THE AMERICAN ARCHITECT delayed by the printers' strike will be as of actual rather than stated date of publication.

To Hold Pan-American Architectural Congress in Montevideo

The first Pan-American Architectural Congress, planned for 1916 but postponed because of the war, is to be held in Montevideo, Uruguay, March 1 to 7, according to an announcement just received by the Pan-American Union in Washington. The idea of the Congress was fostered by the Society of Architects of Montevideo, and the first meeting will be held under the patronage of the President of that Republic, the Council of Administration, and the Ministers of Public Works, Public Instruction, and Foreign Relations.

It is purposed that the Congress shall be a permanent institution, which will meet every three years in the capital of some American nation. At each meeting there is to be an architectural exhibition. The aims of the organization are set forth as follows:

"To contribute to the development of architecture and to give a stimulus to the artistic and scientific studies connected with the profession; to strive toward a better understanding of all questions related to architecture, in the solving of which the nations of the Americas are interested; to promote, by all means within its power, the highest interests of architecture, and to create and maintain close relations of friendship and understanding between architectural institutions, associations and individual architects of the Americas."

Members of the Congress will be architects, schools of architecture, and architectural associations, the latter to be represented by delegates and students. The official languages at the meeting will be Spanish, Portuguese, English, and French.

State Housing Association Acts in Advisory Capacity

The Pennsylvania State Chamber of Commerce has added a housing bureau and has engaged Ritchie Lawrie, Jr., as the new bureau chief. No direct financing of building operations will be part of the bureau's operations, but advice and the offering of practical plans for financing will be part of its work.

It is believed that the solution of the housing problem rests in assisting the lending institutions in financing homes and in securing the co-operation and co-ordination of all building agencies and community interests. A community housing company formed by the leading citizens in a community is in a position to perform this service. The housing bureau is mainly interested in promoting such organizations.

The director has been busily engaged in collecting information covering all phases of the housing problem. There has been prepared a pamphlet outlining various financial methods. This pamphlet will shortly be issued. Other pamphlets treating of the various phases of the

problem will be issued just as soon as they can be prepared and printed. There is under preparation at the present time a set of blue prints of some fifty to seventy-five plates, showing floor plans, elevations and perspectives of worker's practical homes. The pamphlets and the blue print sets will be distributed to all those interested throughout the state in providing homes for workers.

The results of a preliminary survey conducted by the state chamber covering replies from communities throughout the states establishes the fact that 100,000 need homes. At the present time these families are living as best they can in every conceivable kind of shelter. As a result the efficiency and health of a considerable portion of the population is jeopardized, causing discontent.

Practical homes for workers is believed to be the solution of this and many of the vital problems of the day. The state chamber, through its bureau, will place before the business men in the communities ways and means of meeting the situation in the most practical and efficient manner.

Royal Palaces to Solve Housing Need

There is a widespread demand that the former royal and princely palaces and castles of Berlin be utilized to allay the need of dwellings during the coming winter by renting parts of them to people in need of homes. Mayor Wermuth has sent a telegram to the imperial dwelling commissioner calling his attention to this situation.

The commissioner, in reply, says there are in Berlin only six of these buildings that are large and notable. Of these, the former emperor's palace, in which troops were housed for some time, will be occupied by state employees as rapidly as its rooms are vacated and eventually will be made into a museum for works of art.

The Marstall, formerly the royal stables, also has been occupied by troops, but will be turned over to the people.

Montbijou Chateau was and is a museum and its big hall is used for trials. The palace of Crown Prince Frederick is being used by the government for an exposition of modern painting and as headquarters for the "Safety Police."

The palace of the Crown Princess Cecilie is occupied as private residences rented from the government and has a few military bureaus in one section.

Charlottenburg Castle has been used since December last as an orthopedic hospital, except the middle section, which is extraordinarily artistic and historically valuable.

The palace of Prince August Wilhelm is rented to two state bureaus and its library is used for charitable purposes. Bellevue castle now houses state and government authorities.

The finance ministry which has been seeking space in some of these palaces found that all the available room had been taken as long ago as last March.

Brooklyn Architects Meet

The regular monthly meeting of the Brooklyn Chapter of the American Institute of Architects held an interesting session at the Crescent Club on Monday night, November 24. The following architects participated in the program of the evening: T. Edward Snook, Sr., William J. Diltthey, George F. Kiess, W. A. Parfitt, A. R. Koch, S. W. Dodge, Alexander MacIntosh, F. Monckmeyer, J. B. Slee, T. Edward Snook, Jr., C. H. Wagner and Hubert Dunning.

William J. Diltthey was appointed chairman of a committee to report details at the next meeting on the certificate of merit to be given to every architect and owner responsible for a meritorious design, whether it be a new building or only a store front.

A resolution of sympathy was adopted to be forwarded to Lieut.-Col. Woodruff L. Leeming's wife and family. Mr. Leeming was a former president of the Brooklyn Chapter and very earnest in promoting its welfare.

Attitude of Congress on Housing Problems is Muddled

WASHINGTON, Nov. 22.—Just at the period when there is an urgent need for a definite housing program, Congress seems determined to maintain its usual system of procrastination. Only one day was devoted to a hearing on H. R. 7014, the so-called Tinkham bill for the creation of a bureau of housing and living conditions, in the Department of Labor. The House committee on public building and grounds will not conduct further inquiry into the merits of the measure until late in January. Meanwhile the demand for homes to ameliorate social unrest continues to increase.

In the two hours which the committee spent at the initial hearing, eight witnesses appeared in support of the proposed bill. There were forty-three persons who came from all sections of the country to present the views of their organizations on the legislation. The only architect called to the stand in the short session was M. B. Medary, Jr., representing the American Institute of Architects and the Philadelphia Housing Association. Other architects in the official list of witnesses were Bert L. Fenner, representing the American Institute of Architects; John Irwin Bright of the Philadelphia Chapter; Rossel Edward Mitchell of Norfolk, architect and engineer; A. P. Clark, Jr., of the Washington Chapter.

As spokesman for the American Institute of Architects, Mr. Medary said in part:

Congressman Tinkham's bill, which has been referred to your committee, assumes that the welfare and happiness of the countless families of workers throughout the country is equally important as a matter of national concern, demanding the most exhaustive research and the most intelligent experimental work that the National Government may be able to bring to bear on the problem.

The rapid growth of slum conditions in the congested areas adjacent to large markets for labor is a national menace, which can not safely be left to such meager control as now results from occasional local legislation, generally confined to establishing very low minima of housing and living conditions, and rarely adequately enforced.

The bill before your committee offers an opportunity to undertake constructive research and experiment looking to the isolation of this germ of disease in the body politic, maintaining it in quarantine, and eventually destroying it. It offers the opportunity of conducting such work with

public funds belonging to all the people interested, and eliminates the paternalism suspected by the employee as the motive for any interest in housing and living conditions on the part of his employer.

These congested areas now produce great numbers of criminals, insane, and unfit, and we are meeting the situation with more courts, corrective institutions, asylums, and hospitals. We legislate against the admission of these classes to our shores, and at the same time tolerate conditions which must and do produce them as native-born citizens.

The children born in this environment are the citizens of a few years hence. You are their representatives in the American Congress. Yours is the opportunity to determine whether or not the conditions under which they must develop their lives is now affecting, or will in the future affect the morale of the Nation, by authorizing the study of their environment as a function of the Federal Government.

Such work as has been done along the lines provided for in the bill under consideration has disclosed the far-reaching character of any investigation which attempts to go to the root of the problem.

The number of families which may be housed on a given area of land without depriving them of ample light, air, and space for recreation, the rise in value of land resulting from housing a large number of families on a small area, and the effect of this high value in prohibiting a return to less congested use of the land, are some of the phases of the problem which demand the most careful and disinterested consideration.

The Department of Agriculture has done much to inform the American farmer of the relation between intelligent use of land and sustained value of its products. It would be one of the functions of a bureau of housing and living conditions to determine the extent to which land values may be developed at the expense of the physical, moral and mental welfare of those who live upon it, with the consequent charge against the whole community. Can not such a bureau parallel the service of the Department of Agriculture to the farming population by informing urban populations of the consequences of unintelligent abuse of land, viz., its legitimate development?

It is with the hope that research and experimental work conducted for the dissemination of public information by a bureau, such as that proposed, may result in a more intelligent appreciation of housing and living conditions as a vital national problem, that I earnestly ask you to favorably report Congressman Tinkham's bill.

The author of the bill, Mr. Tinkham, told the committee that there were two quasi-philosophic principles back of the measure. One is that the desire for a home is as deep a human desire and demand as the desire and demand for food. The other principle, as the legislator says, is that those who have nothing fixed in the social order are those who care the least about it or its preservation.

Dr. James Ford of Harvard University, one of the foremost authorities on housing conditions, offered a statement from the 1910 census indicating that more than 50 per cent of the families in this country were living in rented houses. He described them as virtually nomads having no stake in the community. He argued that by increasing the supply of houses relative to the demand the tendency to profiteering in rentals is reduced.

Representative Frank Clark of Florida, who has been a consistent opponent of the United States Housing Corporation, questioned both Mr. Medary and Dr. Ford as to their relations with that organization. Mr. Medary was a member of the architectural force at Philadelphia and chairman of the committee on design. Dr. Ford was editor of the official report of the Housing Corporation.

Bill for Federal Housing Study

A bill introduced into the present Congress by Senator Wadsworth of New York, Senate No. 2444, seeks the establishment of a national commission on rural and urban home settlement. Under the terms of the act the board would consist of five members, not more than three of whom would be of the same political party, but all of whom would be recognized "experts in housing, rural organization or colonization." The situation calling this proposal into existence is, of course, not only the presence of a thriving national responsibility to bring within reach of our returned soldiers suitable homes, whether for industry or farming, and generally to forward the movement "back to the land," but also the presence in Congress of measures such as the Mondell bill, which are designed actively to begin the accomplishment of this object. And the point is that whether these measures meet passage, defeat or postponement in the current session, the creation of an expert commission, designed to guide and help direct the processes of the nation in this important matter, is a thing to be desired. At least this is certainly so if the commission can be trusted to go about its work with the determination not merely to investigate and palliate but to investigate and then insist, so far as in them lies, on thoroughgoing action of the most approved nature.

It is true, according to information received, that Senator Wadsworth has no great sympathy for the lines of action which Secretary Lane sketched out in his last annual report, relative to land-reclamation projects in general and housing for soldiers in particular. To this extent his present proposal of a commission may properly be interpreted as a counter-move to plans made up on the Lane pattern. The senator himself believes that governmental efforts to make farms and homes available to soldiers and others should not consist, fundamentally, of large direct subsidy. He thinks the program should be one which, through national support of co-operative housing and land enterprises, would make available to every rightly disposed group of individuals the full benefit of that co-operative use of assets, organization and energy which often so much exceeds in its potency the sum total value of the efforts of men working individually, and without either organization or the support of special laws and agencies.

There may be a few citizens who feel themselves already prepared to take definite sides with either one of these two possible programs. There are a great many others, however—perhaps a majority—who are still open to argument and conviction. And surely it should be evident to all, or nearly all, that the greatest conceivable command of the facts, of the experience of other countries, and of all other relevant data can be none too great for the purpose of wise governance of a new national policy in the development of farming and housing enterprise. Whichever main principle be accepted for Federal action, it will require the service of experts for its translation into action if it is to succeed. This was proved in numerous instances in connection with various governmental housing projects framed to cope with one and another war emergency. Where a bureau went ahead without sufficient knowledge, study and information there occurred waste of funds and of energy. To avoid such error in housing and land matters in peace time, the Congress should permit the appointment of a competent Commission on Rural and Urban Home Settlement as early as possible.

Action on Senator Wadsworth's bill is being awaited with keen interest by the architectural profession, and it is expected that something definite will be reached within a short time.

Better to Keep Homes

The high prices of real estate have led many people who are comfortably established and who had neither intention nor necessity for selling to part with their homes, states a daily paper in Baker, Ore.

The real estate agent rings the door bell and tells the owner of the house he can get him double what the house cost. The man, suddenly dazzled by the money prospect, agrees to sell without taking time to consider the facts.

The deal is closed, the price named is forthcoming, and then the man who had a perfectly comfortable, pleasant home begins to look for a place to which he can move. After a distracted hunt of some days or weeks, the truth dawns on him. If he could sell his place for twice what it cost, so can everybody else, and everybody expects to. To build anything like as comfortable a place as the one he sold may cost more than twice as much. Rents are raised in proportion to purchasing prices, and rented property is very scarce. Finally he realizes just what it is that he has done, and hates himself for a fool.

This is happening nearly every day in every town in this country, and it will keep right on happening until the home owners begin to realize that the depreciated value of a dollar extends to real estate just as to everything else. When they wake up to this fact the people who own good homes are going to stay in them and let the fellow who doesn't own his home assume the burden of getting comfortably located.

The Use of Coal

Most of us think of coal as fuel and nothing else. But, according to Dr. Saleeby of London that is quite a wrong point of view. A chemist, he reminded an audience at the annual conference of the British Commercial Gas Association, would tell us that coal is a treasure-house of a thousand valuable things, and that to burn it is barbaric folly. One could imagine a barbarian coming along and seeing the British Museum with all its treasures and being ignorant enough to say: "Here is something that will burn; let us make a fire." To burn crude coal and destroy thereby its latent treasures is, said Dr. Saleeby, just as short-sighted and criminal as to burn any other repository of irreplaceable wealth. We should extract from coal the dyes and drugs and other valuable properties which it contains, and burn the residue as fuel. He advocated the increased use of gas, the spirit of coal, in place of crude coal for all domestic and industrial purposes, and urged that this question should be fully considered in dealing with the projected housing schemes.

Brooklyn's Monument to Hero Dead Will Cost \$35,000

Park Commissioner Harman of Brooklyn has announced that the entire cost of the memorial to be erected in honor of the 2300 Brooklyn boys who died in the great war will be paid by William H. Todd, the shipbuilder. The monument will be 14 ft. high and will cost \$35,000.

The monument or honor roll will be of granite. The names of Brooklyn's dead will be in bronze. The plan selected is by Augustus Lukeman, who is associated with Daniel Chester French. The monument will be completed about August 15, 1920, and will replace the temporary memorial near the Flower Garden in Prospect Park.

THE AMERICAN ARCHITECT

News from Various Sources

The Chicago *Tribune* states that chairs of aeronautics have been established at Universities of Cambridge and London.

* * *

The Pennsylvania Academy of Fine Arts and the Philadelphia Water Color Club have announced a joint exhibition, to open at the Academy Dec. 14.

* * *

The Riverside Public Library, Riverside, Cal., has just received the architectural library of the late John Correja. This consists of three hundred volumes.

* * *

U. S. Bureau of Education, with slogan "Educate America," issues comprehensive program, including establishment of national university and addition of Department of Education to Government.

* * *

Announced by London *Times* that British Ministry of Munitions has sold nearly 5000 army huts of all descriptions in France and Flanders to Belgian Government to house homeless in devastated areas.

* * *

Announced in Philadelphia *Public Ledger* that \$5,800,000 was the highest offer for Government powder town at Nitro, W. Va., offered for sale by Ordnance Department and reported to have cost \$70,000,000.

* * *

The Young Men's Hebrew Association at Ninety-second Street and Lexington Avenue, New York, is offering courses in architectural drawing, construction, interior decoration and allied topics at a very nominal charge.

* * *

Announced from Lincoln, Neb., that because of scarcity of farm labor and fear of losing large crop of wheat many Western farmers are doing part of their threshing at night, using portable electric motor outfit which furnishes power for machinery and current for lighting.

* * *

The testing of fireproof building materials in New York will no longer be in the hands of private enterprise but will be taken over by Columbia University. The Department of Civil Engineering has accepted the management of the fire testing station at Greenpoint, L. I., the largest of its kind in the vicinity.

* * *

War Department states that number of American cemeteries in Europe has been reduced from nearly 2400 to about 700. Graves Registration Service has placed these cemeteries in good condition. Matter of placing stone markers on graves engaging attention of Quartermaster General, who is working with National Fine Arts Commission to secure appropriate designs and materials.

* * *

Announced in *Woman's Century* for September that Orson, Sweden, is a municipality without taxes. Local railway is free to every citizen; no charge made for telephone service, schools and libraries. Large area of land had been acquired for city many years ago and planted with trees, with result that during past thirty years town authorities have sold over \$5,000,000 worth of trees and timber, while replantings have provided similar income in future.

Air Service plans transcontinental endurance tests, one starting at New York and ending at San Francisco, and the other starting at San Francisco and ending at New York. Stopping points are to include Rochester, Buffalo, Cleveland, Chicago, Des Moines, Omaha, St. Paul, North Platte, Cheyenne, Salt Lake City, Reno, Sacramento. Main idea of tests is to determine reliability of average plane for any class of travel, to demonstrate fact that aerial mail between New York and San Francisco is practicable, and to show public what progress has been made in development of aircraft.

Obituary

Charles Pratt Huntington, secretary of the board of trustees of the Hispanic Society of America, and an architect of note, a nephew of the late Collis P. Huntington, died recently in New York at the age of forty-eight years. Mr. Huntington was born at Logansport, Ind., and was graduated from Harvard in 1893 and from the École des Beaux Arts, Paris, in 1901. His chief architectural works in New York City are the museum and library for the Hispanic Society of America at Broadway and 156th Street, the Museum of the American Numismatic Society, the Museum of the American Indian, and the building for the American Geographic Society. King Alfonso, in 1916, made him a Knight of the Order of Isabel the Catholic.

Nathan Franklin Barrett, landscape architect, for nearly twenty years associated with the work of the Palisades Interstate Park Commission, died in New York City. He was 74 years old. Mr. Barrett was president of the American Society of Landscape Architects in 1903. He laid out the town of Pullman, Ill., and the country estate of P. A. B. Widener, Joseph H. Choate, and H. O. Havemeyer among others. He had recently been working on plans for beautifying signs along public roads.

Peter Roos, director of art in the Cambridge schools for twenty-three years, died Oct. 7 after a long illness. Mr. Roos was born in Lyngby, Sweden, on Feb. 22, 1850, and came to America in 1872, and for a time worked as a fresco painter and designer. In 1873 he became an instructor in the evening drawing schools of Boston. In 1876 Mr. Roos was appointed professor of industrial art and design in the University of Illinois, and in 1896 he became director of art in the Cambridge public schools. Mr. Roos was also well known as a landscape artist, and he had been a member of the Boston Art Club since 1874.

Historic Sites Are Developed

The need for housing is no longer respecting historic sites—an old estate in Quincy, formerly owned by John Quincy Adams, is to be cut into house lots, thus inaugurating a land development scheme which will call eventually for the construction of about 1000 houses. This is called the Adams estate development, the property involved having been originally owned by the former President and sold by a descendant after being in the family for generations. It contains more than 140 acres of land with two miles frontage on Quincy Bay, part of Boston Harbor, assessed for \$267,000. The proposition involves five miles of new streets with the usual accessories.

Personal

Bass, Knowlton & Graham of Indianapolis have opened a branch office at 213 Kennedy Bldg., Tulsa, Okla., where catalogues will be received.

Charles H. Alden, F. A. I. A. after two years of military service, has returned to the practice of architecture in 400 Boston Block, Seattle.

John McLelland will succeed Lamar Q. Cato as city architect of Houston, Texas. Mr. Cato resigns to form a partnership with Finger & Bailey.

Ralph G. Rossell announces change of address from Oakwood Village, Ohio, to Schwind Bldg., Dayton. Manufacturers' samples and catalogues are desired.

Three Harvard students who are taking advantage of architectural scholarships have sailed on the Winifredian

for Liverpool. They were R. H. Kettell of Lexington, who is to spend two months in England; Clark Knowlton of Memphis, Tenn., and J. V. Wilson of Pittsburgh, both of whom plan to remain a year in England, France and Italy.

Thomas W. Ludlow, formerly of the faculty of the School of Architecture in McGill University, Montreal, has been appointed Assistant Professor of Design in the School of Architecture at the Carnegie Institute of Technology. Professor Ludlow was recently discharged from the Canadian Army. He is a graduate of Columbia University and has studied architecture at L'Ecole des Beaux Arts, Paris. Since last December he has been attached to the Montreal Military Headquarters, in charge of the information bureau in connection with the demobilization of the Canadian Forces.

Financial and Commercial Digest

As Affecting the Practice of Architecture

Housing Situation Will Be Relieved When Attitude of Labor Changes

APPEAL TO ARCHITECTS IN HOLD-UP ON 1920 BUILDING PEACE

MORE firmly convinced than ever that only through the stabilization of the cost of labor by the adoption of certain economies that will make for increased production can the cost of building be materially reduced, architects and builders interviewed by THE AMERICAN ARCHITECT this week generally agreed that there soon must come a further breaking away from many existing stereotyped methods of operation. The decided opinion was, that if the workman is persuaded to assume a more interested attitude in his work and endeavor to fully cooperate with his employer for the good of the organization, that real economies can be made in many directions.

Unless this condition is reached—unless workmen employed in the construction of houses endeavor to provide better efficiency, combined with increased output, and fully realize their responsibility not only to the community but to themselves, there can be no hope of an improved housing situation within the coming months. In the New York district it had been hoped that with the final signature affixed to the contract between the Building Trades Council and the Building Trades Employers' Association, agreeing upon a wage scale for 1920, that there would come an era of peace and unprecedented building activity. No sooner than this was accomplished, however, than all plans were knocked into a cocked hat by the announcement of the Iron League Erectors' Association that it did not intend to abandon the open shop. This association alone of all the trades in the building industry has persistently fought attempts to adopt the policy of the closed shop.

There remains to be seen just what effect this independent action will have on building operations projected in New York, which, it is estimated, will be over \$10,000,000. It is a decidedly disturbing development, however, for under the 1920 building contract just signed union men

employed on building operations where non-union men are working are permitted to strike.

Architects have been appealed to with the hope that a solution can be found. The erectors' association has written to members of the architectural profession asking aid in restating their attitude toward the open shop by the insertion in all contracts for the erection of structural steel work of a labor clause. Not only does the new agreement provide for 1920, but a clause has been signed providing for a 1921 wage schedule under the following terms:

"Should the cost of living materially change, upon five months' notice from the Building Trades Council or the Building Trades Employers' Association, given prior to January 1, 1921, the wage scale for the calendar year 1921 shall be reopened and readjusted."

Speaking on the subject of increased pay and lessened working hours, one prominent New York architect stated that the workman on the job does not seem to realize that the man who buys the house pays for the increased cost of production. "Home building under such menacing difficulties," he said, "threatens to come to a standstill. There was never more work in our office than today. But the question is how is it going to be financed?"

"An honest day's work for an honest day's pay will do more to relieve the housing situation than all the political propaganda arising out of the cry of rent-profiteering, about which we have heard so much in the past six months. I fear rents will be increased next spring and that they will rise with the corresponding cost of maintaining property. I cannot understand why the workman doesn't understand that as a rent payer in the final analysis he pays the freight."

If construction is to be tied up by strikes how is the housing problem to be solved? Labor's present program makes it extremely difficult for capital to enter the building field. Education may help the laborer to see his mistake, but that is a slow process. If he doesn't sooner adopt a different attitude toward his work no one can estimate the damage that will result to industrial progress.

Building Trade Wages

As significant of labor wage conditions all over the United States, the following scale of wages being paid in New York City in the building trades was issued Nov. 8 by the Building Trades Employers' Association, is given herewith: Asbestos workers, \$6.40; bricklayers, \$8.50; bricklayers' helpers, \$5.50; carpenters, all boroughs, \$7; cement masons, \$7.20; concrete workers, laborers, \$5.20; composition roofers, waterproofers, \$5.50; electrical workers, \$6; electrical workers' helpers, \$3; elevator constructors, \$7.50; elevator constructors' helpers, \$5.50; hoisting engineers, \$7; houseshorers, \$5.25; houseshorers, Nov. 1, \$6; housesmiths, structural, \$8; housesmiths, finishers, \$6.40; housesmiths' helpers, \$5; marble cutters and setters, \$6.50; marble carvers, \$7.25; metallic lathers, \$6.50; metallic lathers, Nov. 1, \$7.20; mosaic workers, \$6; mosaic workers' helpers, \$4.50; painters, \$8; plasterers, \$8; plasterers' laborers, \$5.50; plumbers, \$7; sheet metal workers, \$7; slate and tile roofers, \$8; steamfitters, \$7; steamfitters' helpers, \$4.50; stonecutters, \$7; stonemasons, \$8.50; tile layers, \$6.50; tile layers' helpers, \$4.

Home Owning

The findings of the Senate Committee to investigate the steel strike contain some pertinent observations on conditions in the steel industry. The recommendations of the committee are really of more importance than the rehashing of conditions. It is well to have the views of men who are not connected, in any way, with the steel industry.

The Senate Committee recommends:

1. Creation of a permanent Federal Industrial Commission, somewhat similar to the War Labor Board, to have large powers in mediation, conciliation, pending whose decisions strikes should not be declared.
2. An Americanization law, to provide for effective education of illiterate foreigners and native illiterates.
3. Aid through Federal Government and industries to make industrial workers home owners.
4. Amendment of naturalization law to compel aliens to learn to speak the American language and to become naturalized within five years, or be deported.
5. An effective law dealing with anarchists, revolutionists and all who would destroy American Government.

German Municipalities Take Steps to Relieve Housing Situation

Although the city of Berlin as a whole has not yet taken steps toward relieving the misery due to the shortage of available dwellings occasionally referred to in cable dispatches, items found in German papers just received here show that several of the semi-independent municipalities making up the German capital are resorting to drastic measures in efforts to find homes for their citizens.

Several weeks ago Charlottenburg, Potsdam and Friedrichshafen obtained permission from the State Commissioner of Housing to compel families occupying large houses to turn over part of their habitations to persons unable to find vacant apartments. If the house owner and the tenant cannot agree as to the rent, the dispute will be settled by the municipal renting bureau. The local municipal council will decide when a house is large enough to spare some of its rooms, and the *Berliner Tageblatt* re-

ports that where a family of only from four to six persons is living in a house of from eight to twelve rooms, it will be forced to rent an apartment of two or three rooms, so reconstructed as to form a separate dwelling.

In Friednau a local ordinance was issued late in August providing that upon the expiration of all leases and rent periods of dwellings and furnished rooms, no renewals or new contracts might be made by the owners and the tenants, but the rooms must be placed at the disposition of the municipality. Then they may be rented again upon permission being granted by the local housing bureau.

Nearly all the municipalities are trying to control rents and are only allowing the landlords to raise their rates in cases where they can show that the upkeep has been materially advanced by increases in the cost of coal and labor.

Housing Conditions and Living Costs the Problems in Tunis

Consul Harris N. Cookingham, Tunis, calls attention to the effect on the cost of living of the small amount of building operations in the municipality of Tunis. During the second quarter of 1919 the figures comprise the erection of 8 temporary structures, 9 one-story buildings, 4 two-story buildings, and 2 one-story additions. Rents have increased disproportionately throughout the Regency as a result of the limited housing available. Government measures adopted during the war fortunately protect present lessees during the ensuing year; but in cases where a tenant surrenders his lease and a new arrival rents the property, rentals are increased sometimes by over 200 per cent.

To protect the public of the municipality of Tunis against profiteers and to enforce the maintenance of the prices of necessities fixed by the special commission which the Government appointed to investigate abuses and regulate sales, a consumers' league has been formed.

Housing Solution Up to Workers

Organization of a force of housebuilders from the workers in Detroit's industrial plants is one way of solving the housing problem in that city, according to J. Hubert Cullen, secretary of the industrial committee of the Board of Commerce, Detroit.

"Shortage of labor is given as the main reason why more houses are not being constructed," said Mr. Cullen. "If that is the case, then it is up to the heads of Detroit's largest industrial plants to get together and provide the labor. It may mean a temporary drop in production, but it is the factories that will suffer most from lack of homes for the reason that workers will not come to the city if there are no houses to live in.

"Detroit has approximately 280,000 workers. In large industrial plants there are men of every trade. If employers would call for volunteers up to 10 per cent of their working forces to work in shifts, that would be 28,000 men. It is estimated that it takes 14 men to build a house, some buildings are constructed with less.

"Allowing 14 men to a house, the 28,000 men could build 2000 houses. Detroit's home situation is one that calls for sacrifice. What if some factories suffer decrease in production during the building campaign, won't it be worth some sacrifice to manufacturers to know that their workers have decent places to live in?"

Department of Architectural Engineering



LANDSIDE VIEW OF COMPLETED WAREHOUSES. MATERIAL TO BE STORED SHOWN IN FOREGROUND.
UNITED STATES ARMY SUPPLY BASE, NEW ORLEANS, LA.
FORD, BACON AND DAVIS, SUPERVISING ENGINEERS. LIEUT.-COL. A. PEARSON HOOVER, Q. M. C.,
CONSTRUCTING QUARTERMASTER.

The United States Army Supply Base, NEW ORLEANS, LA.

By A. PEARSON HOOVER, Lt.-Col., Q. M. C., Constructing Quartermaster, U. S. A.

THE United States Army Supply Base at New Orleans, La., is at one of the best strategic locations on the Western Continent, being:—

First—At the terminus of the navigable water courses and railroads of the Mississippi Valley and many ship lines of both the Pacific and Atlantic Oceans.

Second—Secluded from military attack, and

Third—At a location equidistant between points of origin of raw materials and the destination of manufactured products.

The Base, in location, design and construction, is completely adapted to Governmental and commercial service, meeting both war and peace time requirements of the Army, as well as the requirements of both public and private commercial businesses.

It co-ordinates all the present facilities of the

port of New Orleans and supplies a feature previously lacking in the structures of this port.

As shown on the accompanying plans, the plant covers an area of more than forty-eight acres, including various structures and yards, and is composed of three mammoth reinforced concrete warehouse units, each of the same design and each 600 ft. long, 140 ft. wide and six stories in height, and a two-story steel and pile wharf and wharfhouse 2000 ft. long and 140 ft. wide with connecting bridges joining the wharfhouse with the warehouse units. The connecting bridges are of structural steel of the enclosed multiple deck type, spanning Chartres Street and the intervening railroad yards. There are approximately nine miles of single railroad track serving the plant. The yards accommodate 520 cars, the warehouse units 135 cars, and the

THE AMERICAN ARCHITECT



PANORAMIC VIEW LOOKING TOWARD SITE OF WHARFHOUSE, SHOWING CONDITION JANUARY 15, 1919. NOTE THE GREAT NUMBER OF PILES BEING DRIVEN TO SUPPORT THE WHARF AND WHARFHOUSE

wharf 88 cars, a total of 743 cars. The total floor space of the three warehouse units is thirty-five acres and of the two-story wharfhouse, thirteen acres, a total storage area of forty-eight acres. It will be noted that the aggregate floor area of the structures is the same as the ground area of the site. If all of the floor area of the structures were loaded to capacity the plant would contain more than 178,000 tons of shipping, equivalent to more than ten days' average movement over all the wharves, private and State, in the port of New Orleans.

The wharf is of sufficient length to accommodate at first off anchorage five to eight ocean-going ships simultaneously, and similarly the trackage immediately adjacent to the warehouse platforms, as previously stated, will conveniently accommodate more than 135 standard box cars.

The entire plant will cost, including the yards, the three warehouse units, the wharf and wharfhouse with complete equipment, approximately \$15,000,000. As will be noted from public records, this is 1.2 times the cost of all the State and municipal port improvements on the river front made to

recent dates, including the grain elevator plant and wharf, the cotton warehouses and wharf, the public belt railroad and yards, and all the miscellaneous State-owned wharves.

Commercial Advantages—The advantages to the city of New Orleans of this great expenditure by the Federal Government are self-evident. It goes farther toward fixing the center of gravity of concentration, storage and distribution for commodities of the western hemisphere, especially South America, at this port than any previous expenditure.

The plant includes such features of design as are in use in the world's greatest ports, namely:

Extensive storage capacity, ship side.

Maximum loading and unloading capacity in a ship's length due to:

- (a) Double deck wharfhouse.
- (b) Multiple story warehouse units, and
- (c) Multiple deck connecting bridges between wharfhouse and warehouses.

Loading, unloading and transportation appliances as described.

The special commercial advantages of these features being:

1. Increased speed in freight movement, thus reducing the ship's time in port approximately 40 per cent over the time required at the ordinary single-story unequipped wharfhouse.
2. Reduced handling cost per ton of freight.
3. Reduced storage costs per unit of capacity.
4. Reduced insurance costs on account of compartment design and fireproof construction.
5. A probable further classification of harbor facilities placing commodities such as steel and iron products, petroleum, coal, coffee, tobacco, sisal, grain, sugar and cotton at definite locations.

Adaptability—This warehousing, handling and shipping plant is of standard design and completely adapted to:

The storage, transfer and loading of miscellaneous and standard package commodities. Both import and export transfer and storage, and



WHARFHOUSE NO. 3 AS IT APPEARED JANUARY 15, 1919.


THE AMERICAN ARCHITECT



No. 1. JANUARY 22, 1919.
PILE DRIVING IN PROGRESS.




No. 2. FEBRUARY 19, 1919.
DECKING LAID OVER COMPLETED PILES.



No. 3. ANOTHER VIEW, FEBRUARY 19, 1919.
ERECTOR OF STEEL STRUCTURE FOR WHARFHOUSE
COMMENCED.



No. 4. MARCH 25, 1919.
WHARFHOUSE STRUCTURE CAN BE SEEN IN BACKGROUND.



No. 5. NEARING COMPLETION, MAY 28, 1919.



No. 6. INTERIOR VIEW OF COMPLETED WHARFHOUSE.

PROGRESS PHOTOGRAPHS OF WHARF AND WHARFHOUSE, UNITED STATES ARMY SUPPLY
BASE, NEW ORLEANS, LA.

THE AMERICAN ARCHITECT



PANORAMIC VIEW OF WHARFHOUSE AS IT APPEARED APRIL 30, 1919.

Use as manufacturing lofts and for factory machinery housing.

The warehouses and wharfhouse have a column spacing of 20 ft. centers and an external glass area of 33 per cent and 11 per cent respectively, being adequately lighted for all the purposes noted above.

As stated, the warehouses are built for war or peace requirements of the Army as well as both public and private warehousing. Coffee merchants at Kansas City, Chicago or Denver can have their consigned coffee transferred from ships to these warehouses and from the warehouses to their customers in Memphis, Birmingham or Dallas, without handling the coffee beyond the port of entry storage.

This is equally true of virtually all commodities. Tobacco can be shipped from Kentucky and held in storage for curing at the warehouses at New Orleans while sales are being made in Europe or elsewhere. The use of the warehouses can be extended to supplement the private storage capacity of wholesale businesses.

Capacity.—The capacity of the plant is 178,000 tons as already stated, and in standard packages of principal imports and exports its capacity is:

Material	Warehouses	Wharfhouse	Total
Coffee (bags)	2,400,000	1,000,000	3,400,000
Sisal (bales)	350,000	150,000	500,000
Cotton (bales)	400,000	200,000	600,000
Tobacco (hogsheads)	100,000	50,000	150,000

Features of Design.—The buildings are relatively narrow, the width being approximately one-quarter


of the length. This feature allows a maximum length of railroad platforms and an arrangement of yard and loading trackage perpendicular to the wharf. The clear story height of all the warehouse units is 10 ft. 8 in. except the first story in each building, which is 13 ft. 7 in. The minimum clear story height in the wharfhouse is 17 ft. 6 in. for the first deck and 11 ft. for the second deck. The multiple deck structural steel bridges correspond in clear story height with joined buildings.

The loading capacity of the warehouse units on the various floors is:

1st floor	400	lbs. per square foot
2nd floor	350	" " " "
3rd floor	250	" " " "
4th floor	250	" " " "
5th floor	250	" " " "
6th floor	250	" " " "
Roof	25	" " " "

The pile foundations of units No. 1 and No. 3 are designed for the total dead load and 85 per cent of the live load, using a dead load of 12 tons per pile.

Under unit No. 2, to avoid the great difficulties and consequent delays of excavation, the standard piles used in units No. 1 and No. 3 were replaced by composite piles. The lower section of approximately 48 ft. is of untreated timber, and the upper section of approximately 8 ft. is of concrete installed in accordance with the design and under the supervision of the Raymond Concrete Pile Company. These piles are designed to sustain 16 tons each.



GENERAL CROSS SECTION OF ENTIRE PROJECT.

THE AMERICAN ARCHITECT



WAREHOUSES 1, 2 AND 3 AS THEY APPEARED JANUARY 15, 1919.

The columns are designed for full dead loads and the following percentages of live loads:

Roof	100	per cent
Sixth floor	85	" "
Fifth floor	80	" "
Fourth floor	75	" "
Third floor	70	" "
Second floor	65	" "
First floor	60	" "

The warehouse units are of reinforced concrete throughout. The structural design of the buildings is in accordance with the Chicago Building Ordinance with exceptions as follows:

(A) *Flat Slab Design:*

1. The positive moments in bands perpendicular to the wall in the wall panels are 20 per cent greater than for interior panels.
2. The negative reinforcement perpendicular to the walls and wall panels for the bands at columns is the same in amount as the negative reinforcement over the interior columns.
3. All negative reinforcing steel perpendicular to the walls is hooked 6 in.

(B) *Beams:*

1. Continuous beams are designed for the clear span.
2. The spandrel walls are self-supporting.
3. The lintels supporting the flat slab floors are designed to carry the full dead and live load of one-fifth of the panel width tributary to same, considered as a uniform load.

4. Negative reinforcing bars in end spans are hooked 6 in.

(C) *Spiral Columns:*

1. The Considere formula was used in computing spiral columns.
2. The average core stress does not exceed 1200 lb. per square inch.
3. The concrete stress is 700 lb. per square inch for 1:2:4 concrete.
4. The amount of spiral reinforcement is not less than $\frac{1}{2}$ of one per cent of the core area nor greater than $1\frac{1}{2}$ per cent.
5. The amount of vertical reinforcement is not less than 1 per cent of the core area and not more than 4 per cent.

(D) *Laced Columns:*


1. The concrete stress is 500 lb. per square inch for 1:2:4 concrete.
2. Lacings are not less than $\frac{1}{4}$ in. in diameter and they are spaced not more than 12 in. on centers.
3. The amount of vertical reinforcement is not less than 1 per cent of the effective area of the column nor greater than 4 per cent.

(E) *Steel Stresses:*

1. Steel stress for tensile reinforcement for beams and slabs does not exceed 16,000 lbs. per square inch.
2. Steel stress for tension in beam stirrups does not exceed 12,000 lbs. per square inch.


(F) *Concrete Stresses:*

1. The extreme fiber stress for concrete in



CROSS SECTION CONTINUED FROM PAGE 672.



THE AMERICAN ARCHITECT



674

RIVERSIDE PERSPECTIVE, UNITED STATES ARMY SUPPLY BASE, NEW ORLEANS, LA.
FORD, BACON & DAVIS, SUPERVISING ENGINEERS. LIEUT.-COL. A. PEARSON HOOVER, Q. M. C., CONSTRUCTING QUARTERMASTER,

THE AMERICAN ARCHITECT



LOCATION AND GENERAL LAYOUT, UNITED STATES ARMY SUPPLY BASE, NEW ORLEANS, LA.

THE AMERICAN ARCHITECT



GENERAL VIEW OF SITE, SHOWING CONDITION AS IT APPEARED FEBRUARY 12, 1919

slabs and beams is not greater than 700 lb. per square inch for 1:2:4 concrete.

(G) *Temperature Reinforcement:*

The amount of temperature reinforcement is not less than $\frac{1}{4}$ of 1 per cent.

All other features of construction are in general accordance with standard specifications.

Piling is of round yellow pine and of various lengths for various parts of the plant. Under the warehouse units the points of the piles rest in a sand stratum at approximately 28 C.D., giving a total penetration of approximately 51 ft. The piles are driven for the entire length through Mississippi River alluvial deposit until they bring up at the sand stratum before mentioned. Under the wharfhouse all piles and all exposed timbers are treated, the treatment consisting of 16 lb. of creosote oil per cubic foot. These piles range in length from 50 ft. to 120 ft. In general, piles longer than 100 ft. are spliced, the lower section being of plain timber and the upper of treated timber.

The cement is of standard brands American Portland cement. The fine aggregate was obtained locally and limited in size to $\frac{1}{4}$ in. in diameter. The coarse aggregate consists of river gravel obtained from various sources, of sizes between $\frac{1}{4}$ in. and $1\frac{1}{2}$ in. Concrete mix, except in special locations, is of 1:2:4 proportions.

The wharf is of treated timber upon which is superimposed the two-story wharfhouse of struc-

tural steel enclosed by corrugated sheet steel and fireproof rolling doors and having wood floors.

Handling Apparatus.—Elevators for freight and passenger service are as follows:

	Wharfhouse	Warehouses				
Number	5 freight	<table border="0"> <tr> <td>{</td> <td>3 passenger</td> </tr> <tr> <td>{</td> <td>15 freight</td> </tr> </table>	{	3 passenger	{	15 freight
{	3 passenger					
{	15 freight					
Location	1 every 400 ft.	<table border="0"> <tr> <td>{</td> <td>5 freight and 1 passenger in center of each building</td> </tr> </table>	{	5 freight and 1 passenger in center of each building		
{	5 freight and 1 passenger in center of each building					
Capacity	10,000 lbs.	10,000 lbs.				
Speed	100 ft. per min. (frt.)	<table border="0"> <tr> <td>{</td> <td>150 ft. per min. (frt.)</td> </tr> <tr> <td>{</td> <td>250 ft. per min. (pass.)</td> </tr> </table>	{	150 ft. per min. (frt.)	{	250 ft. per min. (pass.)
{	150 ft. per min. (frt.)					
{	250 ft. per min. (pass.)					
Floor area	785 sq. ft.	<table border="0"> <tr> <td>{</td> <td>2295 sq. ft. (frt.)</td> </tr> <tr> <td>{</td> <td>126 sq. ft. (pass.)</td> </tr> </table>	{	2295 sq. ft. (frt.)	{	126 sq. ft. (pass.)
{	2295 sq. ft. (frt.)					
{	126 sq. ft. (pass.)					

Space has been arranged for one additional freight and one passenger elevator in each warehouse. Provision has been made for spiral chutes for the discharge of commodities. The transfer of freight longitudinally is by means of electric tractors and trailers and the use of hand trucks. Bridges are so designed that a minimum use of the elevator system will be required, on account of the three bridges connecting the wharfhouse and the warehouses. These bridges are multiple deck and in total serve both decks of the wharfhouse and all the floors of the warehouses except the fifth and sixth in each of the units.

Quantities of some of the more important items required for this plant are as follows:



VIEW OF WAREHOUSES SIX WEEKS LATER, SHOWING RAPID CONSTRUCTION ATTAINED.

THE AMERICAN ARCHITECT



WAREHOUSE No. 3, JANUARY 22, 1919.



WAREHOUSE No. 3, FEBRUARY 5, 1919.



WAREHOUSE No. 3, MAY 28, 1919.



WAREHOUSE No. 1, MAY 21, 1919.



WAREHOUSE No. 1, MAY 28, 1919.



WAREHOUSE No. 2, MAY 28, 1919.

PROGRESS PHOTOGRAPHS OF WAREHOUSES
UNITED STATES ARMY SUPPLY BASE, NEW ORLEANS, LA.



INTERIOR VIEW OF WAREHOUSE
SHOWING ONE OF THE ELEVATOR BATTERIES.

Warehouses

Number of Piles.....	31,700
Cu. Yds. of Sand.....	48,000
Cu. Yds. of Gravel.....	93,000
Bbls. of Cement.....	102,000
Cu. Yds. of Concrete.....	108,000
Tons of Reinforcing Steel.....	7,500
Ft. B. M. Form Lumber.....	9,000,000
Sq. Ft. Steel Sash.....	113,000
Sq. Ft. of Roofing.....	252,000

Wharf and Wharfhouses

Number of Creosoted Piles.....	21,000
Ft. B. M. Creosoted Timber.....	5,000,000
Ft. B. M. Untreated Timber.....	2,000,000
Sq. Ft. Corrugated Steel Siding.....	96,000
Lbs. Structural Steel.....	9,000,000
Sq. Yds. Creosoted Wood Block Flooring.....	37,000
Sq. Ft. Roofing.....	280,000
Sq. Ft. Steel Sash.....	16,000

Fire Prevention.—The city fire department extended a number of alarm boxes over the entire construction and connected them to their nearest engine house. A fire marshal, with competent assistants, was kept constantly on the work, directing the general efforts toward the prevention of fire.

A complete sprinkler system, in addition to hose racks and portable fire extinguishers, was installed according to the requirements of the Louisiana Fire Prevention Bureau, and mainly constitutes the fire prevention apparatus which protects the various structures comprising the Army Supply Base. The wet type system was used exclusively, due to the fact that there was no danger of freezing temperatures occurring in this climate.

The underground feed pipe to the sprinkler system of the Base consists of a 12-in. main, directly connected by a 16-in. main to the city's 24-in. water supply main. In each main there is a venturi meter installed under the supervision of the Sewerage and Water Board of New Orleans. A complete circuit of 12-in. pipes was laid around the entire Base, with feeders of 8-in. pipe to each section of the warehouses, and also connected to the wharfhouses. A constant pressure is maintained by three 50,000-gallon tanks located 25 ft. above the

roof of the warehouses. Check valves are located in the 16 and 12-in. city supply pipes to prevent the water in the sprinkler system from entering the city main; such valves were also placed in the 8-in. tank risers to allow the water to flow from the tank into the underground system. The tanks are filled through a by-pass around these check valves. Mercury gages located at the first floor of each warehouse and attached to the tank risers show the height of water in the tank.

Further fire protection is given by two siamese steamer connections located above the platform at the west side of warehouse No. 3, thus enabling the city fire department to pump into the underground protection system direct from the city main. Hydrants located at convenient places around the warehouse complete the fire protection system.



Protection is afforded freight cars standing in the yards back of the warehouses by five monitor nozzles located above the roof of the connecting bridges.

The fire protection for the wharfhouses consists of a 10-in. line located below the floor of the wharf, with 8-in. risers in each section to supply the interior sprinkler installation. This line is connected at the west end by a 12-in. main from the city supply and at the center and east ends by 12-in. mains from the underground warehouse system, thus providing a complete circulation. As an additional source of supply, three siamese connections were provided on the river side of the wharfhouses just above the deck, connected directly to the supply line of the wharf, thence through the 12-inch underground supply to the warehouse system proper.

Electrical Installation.—A transmission pole line was constructed which carried the current at 6600 volts, 3-phase, 60-cycle. This line is located underground, as it enters Government property and terminates at a main transformer station containing three oil-cooled transformers. From here current is transmitted to each of the warehouses and to the wharfhouses. The roof of the warehouses and



TYPICAL INTERIOR VIEW OF WAREHOUSE.
INTERIOR CONSTRUCTION IDENTICAL FOR ALL WAREHOUSES.



UNITED STATES ARMY SUPPLY BASE, NEW ORLEANS, LA.

THE AMERICAN ARCHITECT

the wharfhonse each contain a pent house enclosing a transformer substation. Energy is here transformed from 2300 volts to 440 volts, 3-phase for power, and 110/220-volt 2-phase for lighting.

Interior building illumination is planned for the use of 100-watt lamps in the center of each bay of the first floor of the warehouses and wharfhonse, and 75-watt lamps for all other floors of buildings.

A separate circuit with independent transformers is provided for stairways and exit lights, while an all-night, or watchman's, circuit is provided through the center of each section of warehouses and wharfhonse, and lights in each section are controlled by three-way switches located conveniently at doors at opposite ends.

The outside building lighting consists of 100-watt lamps located approximately 20 ft. on centers, used for lighting platforms of warehouses and land side of wharfhonse. Flood lights of 1000 watts, spaced approximately 80 ft. on centers, are used for lighting the water side of the wharfhonse. Such fixtures are located on top of cargo mast and cast an even flood of light over the entire Base.

Outlets for portable extension lights into freight cars are provided at approximately 40-ft. centers along the edge of the platforms. A single circuit through the center of the first floor with 220-volt, 3-phase outlets on walls are provided for each 200-ft. section of the warehouse and the wharfhonse for the portable stacking and conveying machines.

An outlet of 400 volts every 40 ft. provides power

for the portable cargo winches on first and second floors of wharfhonse.


A battery charging station is located on the third floor, water end, of each warehouse, and one near the center of the second floor of the wharfhonse. These charging stations renew batteries used in the tractors around the plant.

The telephone office is located on the fifth floor of warehouse No. 1, and contains a telephone switchboard with a capacity of twenty-five trunk lines. Warehouse No. 1 had the greatest number of telephones, due to the offices on the fifth floor. One hundred and fifteen stations were installed in this warehouse and forty in each of the other two. With twenty in the wharfhonse and eleven located around the outside, it made a total number in use at the Base of 226.

One of the notable features in connection with the erection of this mammoth plant is the speed of erection. Work was started on June 13, 1918, and completed one year later, or to be exact, June 14, 1919.


The entire project was erected under the general supervision of R. C. Marshall, Jr., Brigadier-General Q. M. C., in charge of the Construction Division, U. S. A.

The plant was designed by Ford, Bacon & Davis, Supervising Engineers, acting under the direction of the Constructing Quartermaster, and was built by the George A. Fuller Company, also acting under his direction.



ELEVATOR PENT HOUSE MACHINERY.

UNITED STATES ARMY SUPPLY BASE, NEW ORLEANS, LA.



Roofs stained with Cabot's Creosote Stains; Walls finished with Old Virginia White. C. H. Bebb & C. F. Gould, Architects, Seattle.

Cabot's Old Virginia White

As Soft and Brilliant as New Whitewash and as Durable as Paint

There is no "painty" look to Old Virginia White. It has all the virtues of paint in cleanness and durability, and is much cheaper, but its distinction lies in its cool and brilliant pure white of soft unpainty texture, like that of a fresh government whitewash. It is used on wood, bricks, stucco, concrete or stone.

Cabot's Creosote Stains

Ideal for Housing Developments

Cabot's Stains give beautiful coloring effects, preserve the wood and cost less than half as much as paint. Any unskilled workman can apply them. They are ideal for staining small houses of siding, shingles or boarding.

You can get Cabot's goods all over the Country. Send for samples and name of nearest agent.

SAMUEL CABOT, Inc. Manufacturing Chemist^s
 BOSTON MASS.
 1133 Broadway, NEW YORK 24 W. Kinzie St., CHICAGO
 Cabot's Stucco and Brick Stains, "Quilt," Damp-proofing, Conservo Wood Preservative, etc. 5-4

ARCHITECTURAL WOODWORK
 TRIM AND CABINET WORK
 CHURCH, BANK AND OFFICE
 INTERIORS AND CARVINGS


SHIP AND YACHT JOINERY
 PERIOD MANTELS, STAIRWAYS
 SPECIAL FURNITURE AND
 REPRODUCTIONS TO ORDER

THE HARRIMAN INDUSTRIAL CORPORATION

WORKS AT HARRIMAN, NEW YORK

NEW YORK OFFICE
 475 FIFTH AVENUE
 TELEPHONE, MURRAY HILL, 6762

HARRIMAN QUALITY WOODWORK



Roofs Last Longer When Protected by

BURT

Exhaust Heads

Burt's Exhaust Heads prevent the falling of oil and wet steam upon the roof, the sides of the building and the streets below. They break the steam up into small particles, condensing most of it back into water.

This water, freed from all cylinder oil, and with all the scale-forming mineral elements eliminated, can be used over and over for new steam.

The boilers are kept clean, fuel is saved and the roof protected.

Write for 128 page catalogue. See our ad in Sweet's Index.

The Burt Manufacturing Company

77 Main Street, Akron, Ohio

Geo. W. Reed & Co., Montreal, Sole Manufacturers of Burt Ventilators for Canada

BUILDING NEWS

In order to supply our readers with material of current interest, the news and comment appearing in issues of THE AMERICAN ARCHITECT delayed by the printers' strike will be as of actual rather than stated date of publication.

To be of value this matter must be printed in the number immediately following its receipt, which makes it impossible for us to verify it. Our sources of information are believed to be reliable, but we cannot guarantee the correctness of all items. Persons in charge of proposed work are requested to send us information concerning it as early as possible; also corrections of any errors discovered.

COLORADO

DENVER, COLO.—H. H. Heiser Co., 7th St. and Bway, let contract for building 2-story, 25 x 125-ft. garage, to C. S. Lambie Co., Tramway Bldg. \$60,000.

CONNECTICUT

ANSONIA, CONN.—Mowbray & Uffinger, archts., 56 Liberty St., New York City, will build 1-story, 50 x 100-ft., brick, granite and limestone bank for Ansonia Natl. Bank, 165 Main St. \$75,000.

MANCHESTER, CONN.—F. Farley, archt., 15 West 38th St., New York City, has plans for building brick, steel and stone school, on Spruce St., for town. \$150,000.

MIDDLETOWN, CONN.—D. K. Perry, archt., 79 Golf Maple Hill, New Britain, will build 2-story, 105 x 233-ft., brick, concrete and steel hospital, on South Farms, for Connecticut Hospital for Insane. \$175,000.

NEW LONDON, CONN.—Bilderbeck & Langdon, archts., Barrows Bldg., propose 2-story, 25 x 80-ft., brick building on Main St., for S. McMullen, 35 Main St. \$60,000.

WALLINGFORD, CONN.—First Natl. Bank, 33 South Main St., having plans prepared by R. W. Foote, archt., 185 Church St., New Haven, for brick and steel bank, on Main and Center Sts. \$100,000.

WATERBURY, CONN.—J. S. Fernandez, 24 West Porter St., plans to build 3-story, 50 x 160-ft., brick and concrete theatre, on East Main St. \$50,000.

INDIANA

AETNA, IND.—Aetna Iron & Steel Co., Gary, let contract for building 1-story, 75 x 400 and 225 x 600-ft. rolling mills, brick and steel, to Northwestern Bridge & Iron Co., 32nd and Hopkins Sts., Milwaukee. \$350,000.

IOWA

DES MOINES, IA.—H. Schoen, 2102 Beaver Ave., let contract for building 2-story, 66 x 120-ft., brick, rein.-con. and steel garage, on 14th and Grand Sts., to W. Knudson, 301 Flynn St. \$100,000.

WATERLOO, IA.—Barths-Sheppard Oil Co. proposes building 2-story, rein.-con. brick and steel warehouse, on Logan Ave. and Belt Line Ry., to H. A. Maine Constr. Co., 305 Marsh-Pl. Bldg. \$51,000.

KANSAS

WICHITA, KAN.—W. B. Harrison & Co. let contract for 2-story, 50 x 160-ft., brick, concrete and steel building, to G. H. Siedhoff, Wichita. \$50,000.

WINFIELD, KAN.—First Natl. Bank let contract for altering bank, brick, steel, marble and stone, to Hoggson Bros., 485 5th Ave., New York City. \$150,000.

MAINE

LEWISTON, ME.—Lewiston Trust Co. will build 2-story, 50 x 110-ft., brick, stone and steel bank. \$60,000. T. M. James, 3 Park St., Boston, Mass., archt.

MASSACHUSETTS

BOSTON, MASS.—Codman & Street, 15 State St., having plans prepared by J. D. Leland, archt., 185 Devonshire St., for 7-story, 22 x 120-ft., brick, concrete and steel building, on Washington St. W. F. Schrafft & Sons Corp., 160 Washington St., lessee.

BOSTON, MASS.—Amer. Mutual Liability Insurance Co., 245 State St., having plans prepared by F. F. Jousberg Co., archts. and engrs., 16 Central St., for 6-story office, 64 x 120 ft., on Beacon St. \$500,000.

FALL RIVER, MASS.—S. S. Kresge Co., Kresge Bldg., Detroit, Mich., plans to build 2-story business structure, 84 x 111 x 133-ft., on South Main St. \$75,000.

FITCHBURG, MASS.—St. Joseph's Roman Catholic Church, Columbus Ave., plans to construct memorial building. \$60,000. J. Moussier, secretary.

QUINCY, MASS.—Children's Institution Dept. proposes constructing 3-story, 95 x 115-ft., brick, administration building, at Suffolk School for Boys, on Rainsford, Island. \$200,000. J. Purdon, 8 Beacon St., Boston, archt.

SPENCER, MASS.—Allen-Squire Co., Main St., let contract for building 4-story, 50 x 90-ft., brick and concrete storehouse, to E. J. Cross Co., 82 Foster St., Worcester. \$60,000.

SPRINGFIELD, MASS.—J. J. Aronson, 8 Bagnolia Terrace, let contract for building 3-story, 62 x 80-ft., brick garage and storage plant, on Ferry St., to S. Kossofski, 54 Patton St. \$50,000.

SPRINGFIELD, MASS.—Springfield Ice Co., 47 Dwight St., let contract for building 1-story, 156 x 310-ft. ice house, on Hickory St., to L. S. Wood, 14 Stockbridge St. \$100,000.

WILLIMANSETT, MASS.—Stevens-Duryea Co., Chicopee Falls, plans to build about two hundred 2-story, brick and timber houses for workmen at Driving Park, here.

MICHIGAN

BAY CITY, MICH.—Fletcher Auto Sales Co., Saginaw St., let contract for building 1 and 2-story, 75 x 100-ft. and sales service station, brick, steel and stone, on Saginaw and 4th Sts., to Sparling, Gilbert & Chevier, Saginaw St. \$30,000.

BATTLE CREEK, MICH.—Battle Creek Paper Co. let contract for building 2-story, 110 x 210-ft., rein.-con. and brick addition to factory, at 81 Garrison St., to Witherspoon & Englar, 53 West Jackson Blvd., Chicago. \$175,000.

DETROIT, MICH.—Eastern Motor Sales Co., Grand River Ave., let contract for building 6-story, 100 x 150ft., rein.-con., brick and steel factory, on Grand River and Cass Aves., to M. Bartholomae Son & Co., 466 Warren Ave., E. \$200,000.

DETROIT, MICH.—Eastern Motor Sales Co., 404 Gratiot Ave., let contract for building 3-story, 115 x 143-ft., rein.-con., brick and steel service station, on Gratiot Ave., to O. Misch Co., Chamber Commerce Bldg. \$50,000.

DETROIT, MICH.—Gray Estate, Hammond Bldg., let contract for building 2-story, 140 x 189-ft., rein.-con., brick and steel garage and sales room, on Antoinette and Cass Aves., to F. H. Davis, Penobscot Bldg. \$150,000.

DETROIT, MICH.—Anderson Electric Car Co., Milwaukee and Junction Aves., let contract for building 1-story, 100 x 187-ft., rein.-con. addition to factory on Aberle St., to H. G. Christman Co., 315 Stevens Bldg. \$45,000.

DETROIT, MICH.—Detroit & Cleveland Navigation Co., foot of Wayne St., let contract for constructing 1 and 2-story, steel and corrugated iron, freight shed and office building, to Bryant & Detwiler Co., 2336 Dime Bank Bldg. \$50,000.

MISSOURI

ST. LOUIS, MO.—Central Shoe Co., 17th and Washington Sts., plans to build concrete, steel and brick addition to factory, on Washington Ave. \$70,000.

ST. LOUIS, MO.—Mineral Refining & Chemical Corp., Iron Mt. R. R. and River Des Peres, plans to build rein.-con., steel and brick factory. \$4,000,000.

ST. LOUIS, MO.—Oliver Electric & Mfg. Co., 4221 Forest Blvd., had preliminary plans prepared for concrete, steel and brick addition to factory. \$100,000.

NEW JERSEY

HOBOKEN, N. J.—Owens & Traeger, 1400 Washington St., will build 5-story, 80 x 200-ft., rein.-con. factory, on 11th St. Industrial Eng. Co., 30 Church St., New York City, contractors.

NEWARK, N. J.—Blanchard & Co., care W. Lehman, archt., 738 Broad St., proposes building 2-story, 50 x 97-ft., brick and mill construction factory, on Sussex Ave., L. Weber Bldg. Co., 171 Madison Ave., New York City, to do the work. \$50,000.

NEW YORK

BROOKLYN, N. Y.—J. Hilder, 271 75th St., having plans prepared by Carlson & Wiseman, archts., 226 Henry St., for 2-story, 157 x 175-ft., brick and steel theater, on Bway. and Chauncey St. \$175,000.

BROOKLYN, N. Y.—Kingshighway Realty Co., care Carlson & Wiseman, archts., 226 Henry St., having plans prepared for brick and steel theater on Kings Highway and East 12th St. \$300,000.

BUFFALO, N. Y.—Loew's Enterprises, 1492 Bway., New York City, having plans prepared by T. W. Lamb, archt., 644 8th Ave., New York City, for brick and steel theater, on Washington and Mohawk Sts. \$400,000.

GENESEO, N. Y.—F. B. Gilbert, deputy comr. of education, proposes building 2-story, brick and rein.-con. addition to Geneseo Normal School. \$100,000. L. F. Pilcher, Albany, state archt.

JOHNSON CITY, N. Y.—Board of Education will erect new Theodore Roosevelt School, on Floral Ave. and St. Charles St. \$210,000.

NIAGARA FALLS, N. Y.—Aluminum Co. of America, Oliver Bldg., Pittsburgh, Pa., having plans prepared for rein.-con. office. \$100,000. W. M. Fickes, Niagara Falls, mgr.

PORTCHESTER, N. Y.—T. R. Mallory, Inc., Fox Island Road, let contract for building 2-story, 40 x 112-ft., rein.-con. and steel factory, to G. Mertz, Portchester. \$25,000.

OHIO

COLUMBUS, O.—O. Darst, archt., Brunson Bldg., let contract to R. H. Evans & Co., Columbus Savings & Trust Bldg., for constructing 6-story, 65 x 69 x 155-ft., wholesale grocery building on East Nightht St., for G. W. Bobb Co., 280 Nightht St. \$130,000.

COLUMBUS, O.—Ohio State Journal, Spahr Bldg., let contract for constructing 4-story, 34 x 197-ft., publishing building, on East Broad St., between Pearl and 3rd Sts., to E. Spencer, 914 Huntington Natl. Bank Bldg. \$160,000.

DAYTON, O.—L. C. R. Storage Battery Co., North St. Clair St., plans to build 1-story, 70 x 150-ft., rein.-con. and brick service station, on Ludlow and Franklin Sts. \$75,000.

DAYTON, O.—B. Lehman's Sons, North Taylor St., plans to build 2-story, 50 x 100-ft., rein.-con. and brick warehouse, on East Monument St. \$50,000.

DAYTON, O.—F. Smith, 1035 Reibold Bldg., plans to construct 5-story, 20 x 90-ft., rein.-con. and brick storage building, on East 3rd St. and St. Clair Ave. \$100,000.

PIQUA, O.—Atlas Underwear Co. let contract for building 4-story factory, to Frank Hill Smith Co., Inc., East 3rd St., Dayton. \$125,000.

NEW LEXINGTON, O.—R. J. Thacker Co. let contract for constructing 3-story, 62 x 122-ft., concrete and brick, wholesale building, to E. C. Penimore, Brunson Bldg., Columbus. \$75,000.

OREGON

COTTAGE GROVE, ORE.—Woodson Bros. purchased site and plan to build 2-story, 100 x 100-ft., rein.-con. garage and machine shop. \$50,000.

ROSEBURG, ORE.—C. W. Parker plans to build 2-story, 75 x 100-ft. concrete garage, on Rose St. \$50,000.

ROSEBURG, ORE.—City having preliminary plans prepared by F. Freaser, city engr., for light and water power plant on North Umpqua River, near Rock Creek. \$400,000.

SALEM, ORE.—Salem Paper Mill Co. plans to build concrete plant. \$50,000.

PENNSYLVANIA

PHILADELPHIA, PA.—Federal Hosiery Mills, Janney and Cambria Sts., let contract for building 2-story, 70 x 150-ft., brick factory, to H. E. Baton, 1713 Sansom St. \$100,000.

PHILADELPHIA, PA.—J. R. Kendrick Co., 125 Herman St., let contract for building 3-story, 60 x 125-ft., brick and steel factory, on Germantown and Pastorius Sts., to T. M. Peterson & Son., 5114 Germantown St.

PHILADELPHIA, PA.—Phila. Storage Battery Co., Ontario St., let contract for building 1-story, 50 x 220-ft. addition to factory, with 26 x 50-ft. wing, concrete and brick, to Stewart Bros. Co., 2528 North Orkney St.

RHODE ISLAND

KINGSTON, R. I.—Rhode Island State College having plans prepared by E. B. Homer, archt., 89 Weybosset St., Providence, for 4-story, 54 x 120-ft. college. \$200,000.

WESTERLY, R. I.—Washington Trust Co., Main St., proposes building 3-story bank and office, brick and steel, on Broad and Main Sts. \$60,000. York & Sawyer, 50 East 41st St., New York City, archts.

Use Holt Roof Connections with

Barrett Specification Roofs

Any Roof is better for having Holt Connections

In fact, buildings having interior roof drainage are *incomplete* without Holt Roof Connections.

This is true because no other connection is able so well to withstand the expansion and contraction which occurs in interior leader lines.

The leader lines in the building continually push and pull, expanding and contracting with every change of temperature, or because of shrinkage, settlement or vibration, but the Holt Expansion Joint always remains flexible and watertight, because it has a range of movement of from 1½ to 3 inches, according to type of connection used and construction of leader lines and roof decks.

Holt Connections are positive safeguards against the most severe cases of shrinkage, settlement and vibration. Heavy cast brass, copper and iron are their principal components. They are as permanent as Barrett Specification Roofs, with their record of unequalled service. They are, in fact, "partners in good standing."

Use Holt Connections on any type of roof

Holt Connections are made in a variety of types and sizes for *every kind of roof*. They meet every need for a high-grade, dependable connection for roof leaders, vents, pipes, braces or flag-poles. *They have never failed.*

Send for details and full Specifications


The *Barrett* Company



- | | | | | | | |
|------------|--------------|-------------|----------------|------------|-----------|-----------|
| New York | Cincinnati | Minneapolis | Lebanon | Youngstown | Peoria | Richmond |
| Cleveland | Kansas City | Johnstown | St. Louis | Seattle | Columbus | Bethlehem |
| Birmingham | Washington | Boston | New Orleans | Latrobe | Elizabeth | Bangor |
| Milwaukee | Philadelphia | Detroit | Salt Lake City | Buffalo | Toledo | Baltimore |
| Chicago | Pittsburgh | Nashville | Dallas | Duluth | Atlanta | |

THE BARRETT COMPANY, Limited:

- Montreal Toronto Winnipeg Vancouver St. John, N. B. Halifax, N. S. Sydney, N. S.



DIGEST

Of Manufacturers' Data

ARCHITECTS OFFICE EQUIPMENT

INKS:

Higgins, Chas. M., & Co., 271 9th St., Brooklyn.

PASTES:

Higgins, Chas. M., & Co., 271 9th St., Brooklyn.

PENCILS:

Dixon Crucible Co., Jos., Jersey City, N. J.

CARRIER SYSTEMS

Wagner Mfg. Co., Cedar Falls, Iowa. Wagner overhead trolley carrier systems.

CASEMENT WINDOWS

METAL:

Crittall Casement Window Co., Detroit, Mich. Crittall metal casement windows for office buildings, banks, public buildings, churches, university buildings, hospitals, residences, stores, factory offices, etc.

Pomeroy Co., Inc., S. H., 30 E. 42d St., N. Y.

CEMENT AND PLASTER

CEMENT:

Atlas Portland Cement Co., The, 30 Broad St., New York. Manufacturers of Atlas Portland Cement and Atlas-White Portland Cement. Sales Offices: Chicago, Philadelphia, Boston, St. Louis, Minneapolis, Des Moines, Dayton, Savannah, Mills; Northampton, Pa.; Hudson, N. Y.; Hannibal, Mo. Sales Manager, C. A. Kimball.

CORNER BEADS:

Concrete Engineering Co., Omaha National Bank Bldg., Omaha, Neb.
Milwaukee Corrugating Co., Milwaukee, Wis.

PLASTER:

Best Bros. Keene's Cement Co., Dept. C, Medicine Lodge, Kans., New York, Chicago. "Regular" for base and finish coats, general plastering; "Fine" for all ornamental plastering; Caen stone, etc.; "Coarse" and "Superfine" for art marble.
National Kellastone Co., The, Chicago, Ill.

SPECIALTIES:

Concrete Engineering Co., Omaha National Bank Bldg., Omaha, Neb.
Bostwick Steel Lath Co., The, Niles, Ohio. Bostwick Corner Bead, Ground Bead, Cement Stops, Wall Plugs and Wall Ties.
Truscon Steel Co., Dept. 68, Youngstown, Ohio. Representatives in principal cities. Corner beads, "Kahn" curb bars, "Truscon" slotted inserts; "Kahn" adjustable inserts; "Trus-Con" National socket inserts; "Kahn" elastic filler and armor plates for expansion joints.

STUCCO:

National Kellastone Co., The, Chicago, Ill.

CLOCKS

Manufacturing and Sales Corp., 40 Cedar St., N. Y. C. Fowler electric clocks, Master clocks, secondary clocks, program clocks, time recorders and time stamps.

COLUMNS

WOOD:

Hartmann-Sanders Co., Chicago, Ill.

CONCRETE REINFORCEMENT

BEAM CAGING:

Mitchell-Tappen Co., 15 John St., N. Y. C. S. M. C. for the concrete protection of steel beams, girders and columns.

THIS department is intended to assist our subscribers in readily determining the names and addresses of manufacturers of products in which they may be interested together with brief data about their material.

The headings and sub-headings are arranged alphabetically and have been selected in accordance with the intent of meeting the architect's thought in preparing his specifications.

If the information desired is not found here, it will gladly be supplied by the Service Department of THE AMERICAN ARCHITECT.

CONCRETE REINFORCEMENT— Continued

REINFORCEMENT:

American Steel & Wire Co., Chicago-New York.
Berger, The, Mfg. Co., Canton, Ohio.
Bostwick Steel Lath Co., The, Niles, O. Bostwick "Truss-V-Rib."
Concrete Engineering Co., Omaha National Bank Bldg., Omaha, Neb.
Truscon Steel Co., Dept. 68, Youngstown, Ohio. Representatives in principal cities. "Kahn" system reinforced concrete; "Kahn" bars; "Rib" bars; "Rib" lath; "Floretyles," "Floredome," etc.; flat and beamed ceilings of all types.

DAMP-PROOFING

(See Water and Dampproofing)

DAYLIGHTING

Berger, The, Mfg. Co., Canton, Ohio.

DOORS AND TRIM

DOORS, STEEL:

Lupton's, David, Sons Co., Philadelphia, Pa.

HOLLOW STEEL DOORS:

Edwards Mfg. Co., The, 319-349 Eggleston Ave., Cincinnati, O.
Interior Metal Mfg. Co., Jamestown, N. Y.; Bankers Trust Bldg., 501 Fifth Ave., N.Y.C.
Hollow steel doors in all standard sizes.

INTERIOR CABINET WORK:

Harriman Industrial Corp., 475 Fifth Ave., N. Y. C.
Mathews Bros. Mfg. Co., Milwaukee, Wis.
New York Office, 52 Vanderbilt Ave.

STEEL ROLLING DOORS:

Kinnear Mfg. Co., Columbus, Ohio. Kinnear steel rolling doors and shutters, bifolding doors of wood and steel.

DUMB-WAITERS

Sedgwick Machine Wks., 159 W. 15th St., N.Y.

ELECTRICAL EQUIPMENT AND SUPPLIES

CONDUITS AND FITTINGS:

National Metal Molding Co., 1111 Fulton Bldg., Pittsburgh, Pa. "NATIONAL" metal molding for surface wiring; "SHERADUCT" and "ECONOMY" conduits; "FLEXSTEEL" armored cable and a complete line of fittings.
Youngstown (O.) Sheet & Tube Co. "Buckeye" rigid conduit. "Realflex" armored conductor.

LIGHTING SYSTEMS:

General Electric Co., Schenectady, N. Y.

ELECTRICAL EQUIPMENT AND SUPPLIES—Continued

OUTLET BOXES:

General Electric Co., Schenectady, N. Y.

POWER PLANT EQUIPMENT:

General Electric Co., Schenectady, N. Y.

RECEPTACLES:

General Electric Co., Schenectady, N. Y.

SOCKETS:

General Electric Co., Schenectady, N. Y.

SWITCHBOARDS:

General Electric Co., Schenectady, N. Y.

SWITCHES:

General Electric Co., Schenectady, N. Y.

WIRES AND CABLES (Insulated):

Atlantic Insulated Wire & Cable Co., 52 Vanderbilt Ave., New York City.
General Electric Co., Schenectady, N. Y.
Okonite Co., The, 501 Fifth Ave., N. Y. C. Caudex Porbeads. "Mauson" and "Okonite" Tape.

ELEVATORS AND HOISTS

CONVEYORS:

Otis Elevator Co., 11th Ave. and 26th St., N. Y. C. Gravity spiral.

ELEVATORS:

American Elevator & Machine Co., Louisville, Ky.
Kaestner & Hecht Co., 500 South Throop St., Chicago, Ill.

Otis Elevator Co., 11th Ave. and 26th St., New York. Offices in principal cities of the world. Electric, hydraulic, belt and hand power, inclined freight elevators and escalators.

ELEVATORS (Hand Power):

Sedgwick Machine Wks., 159 W. 15th St., N.Y.

ELEVATOR CABLE:

American Steel & Wire Co., Chicago-New York.

ELEVATOR DOOR HANGERS:

Wagner Mfg. Co., Cedar Falls, Iowa.

HOISTS (Ash):

Otis Elevator Co., 11th Ave. and 26th St., N. Y. C. Automatic coal and ash hoists, blast furnaces and ship hoists.

EQUIPMENT STEEL

LOCKERS AND SHELVING, STEEL:

Edwards Mfg. Co., The, 319-349 Eggleston Ave., Cincinnati, O.

FIREPROOFING MATERIALS

CAGING OR FORMING:

Mitchell-Tappen Co., 15 John St., N. Y. C.

GYPSUM BLOCKS:

U. S. Gypsum Co., 5th Ave. & Monroe St., Chicago, Ill.

METAL LATH:

Berger, The, Mfg. Co., Canton, Ohio.
Bostwick Steel Lath Co., The, Niles, O.; 135 N. 22nd St., Phila., Pa. Bostwick "Truss-Loop" and expanded metal in three types; "Diamond A," Niles and "Lock."
Concrete Engineering Co., Omaha National Bank Bldg., Omaha, Neb.
Milwaukee Corrugating Co., Milwaukee, Wis.
Truscon Steel Co., Dept. 68, Youngstown, O. Representatives in principal cities. "Hy-rib," "Rib" lath; "Diamond Mesh" lath.

FLOORS

COMPOSITION:

Barrett Co., The, 17 Battery Pl., New York. Branch offices in all large cities.
National Kellastone Co., The, Chicago, Ill.


FLOOR COATING:

Imperial Paint Co., 76 Tenth St., Long Island City, N. Y. "Impaco" cement coating.

CORTO

The Radiator Classic

Designed by Louis Courtot, Paris



This new French design occupies thirty percent less space. It has larger heat radiating power for its size, responds quicker, and weighs twenty-five percent less. Specify the CORTO for your work in which quality, high efficiency, and artistic appearance are desired.

Attractive Corto booklet upon request

AMERICAN RADIATOR COMPANY

Sales branches and showrooms in all large cities

FLOORS--Continued**MARBLE:**

Appalachian Marble Co., Knoxville, Tenn.

NON-SLIP:

American Abrasive Metals Co., 50 Church St., N. Y. C. Feralun.

PARQUET:

Wood-Mosaic Co., New Albany, Parquetry, hardwood flooring, veneer and lumber.

WOOD BLOCK:

Carter Bloxonend Flooring Co., 1301 R. A. Long Bldg., Kansas City, Mo.

FOUNDATIONS**PILES:**

Raymond Concrete Pile Co., 149 Cedar St., N. Y. C. "Raymond" concrete piles are made by driving a reinforced steel shell which is left permanently in the ground. This shell is then filled with concrete.

FURNITURE AND DECORATIONS**DRAPERIES, UPHOLSTERIES, WALL COVERINGS:**

Standard Textile Products Co., The, 320 Broadway, New York. "Sanitas" Tinted, Decorative and Glazed. Fast colors, sanitary. For private homes, hotels, auditoriums, institutions, etc.

WOOD WORK:

Harriman Industrial Corp., 475 Fifth Ave., N. Y. C. Interior Cabinet Work, Decorations. Carvings, Special Furniture and Reproductions to order.
Mathews Bros. Mfg. Co., Milwaukee, Wis., New York Office, 52 Vanderbilt Ave.

GRATINGS**INTERLOCKED:**

Mitchell-Tappen Co., 15 John St., N. Y. C.

HARDWARE**BUILDERS' HARDWARE:**

Stanley Works, The, New Britain, Conn.

BUTTS AND HINGES:

McKinney Mfg. Co., Pittsburgh, Pa.
Stanley Works, The, New Britain, Conn. (Ball-Bearing)—steel, brass, bronze.

FIRE DOOR FIXTURES:

Wagner Mfg. Co., Cedar Falls, Iowa.

GARAGE HARDWARE:

Stanley Works, The, New Britain, Conn. Garage door holders and garage door hinges.

HEATING, VENTILATION PLUMBING**BLOWERS AND EXHAUSTERS:**

Buffalo Forge Co., Buffalo, N. Y.

BOILERS:

American Radiator Co., Chicago, Ill.
Lord & Burnham Co., Irvington, N. Y.

CLOSETS:

Clow, James B., & Sons, Chicago, Ill.
Maddock's, Thomas, Sons Co., Trenton, N. J.

DRINKING FOUNTAINS:

Cahill Iron Works, The, Chattanooga, Tenn.
Clow, James B., & Sons, Chicago, Ill.
Maddock's, Thomas, Sons Co., Trenton, N. J.

LAVATORIES:

Cahill Iron Works, The, Chattanooga, Tenn.
Clow, James B., & Sons, Chicago, Ill.
Maddock's, Thomas, Sons Co., Trenton, N. J.

MARBLE, PLUMBERS:

Appalachian Marble Co., Knoxville, Tenn.

PIPE (Steel):

Youngstown Sheet & Tube Co., Youngstown, O.

RADIATORS:

American Radiator Co., Chicago, Ill.
Clow, James B., & Sons, Chicago, Ill.

RANGES, ELECTRIC:

Edison Electric Appliance Co., Inc., Chicago, Ill. "Hughes" electric ranges.

SINKS:

Cahill Iron Works, The, Chattanooga, Tenn.
Maddock's, Thomas, Sons Co., Trenton, N. J.

HEATING, VENTILATION PLUMBING—Continued**SINKS (Slop):**

Cahill Iron Works, The, Chattanooga, Tenn.
Maddock's, Thomas, Sons Co., Trenton, N. J.

TANKS (Closet):

Cahill Iron Works, The, Chattanooga, Tenn.
Maddock's, Thomas, Sons Co., Trenton, N. J.

TEMPERATURE REGULATORS:

Johnson Service Co., Milwaukee, Wis.
Vapor Heating Co., York, Pa.

TRAPS (Steam):

Jenkins Bros., 80 White St., N. Y. C.

TUBS (Bath):

Cahill Iron Works, The, Chattanooga, Tenn.
Maddock's, Thomas, Sons Co., Trenton, N. J.

TUBS (Laundry):

Cahill Iron Works, The, Chattanooga, Tenn.
Maddock's, Thomas, Sons Co., Trenton, N. J.

URINALS:

Cahill Iron Works, The, Chattanooga, Tenn.
Clow, James B., & Sons, Chicago, Ill.
Maddock's, Thomas, Sons Co., Trenton, N. J.

VALVES (Air):

Hoffman Specialty Co., 130 No. Fifth Ave., Chicago, Ill. Siphon Air valves; Siphon Air and Vacuum valves; "Air Lines" valves Junior Quick Vent Air Valve; Quick Vent "Float" Air Valve; Quick Vent "Float" Air and Vacuum Valve; Return Line Valve for vapor, vapor vacuum, modulating and vacuum heating systems; vapor vent valve.
Jenkins Bros., 80 White St., N. Y. C.

VALVES (Radiator):

Jenkins Bros., 80 White St., N. Y. C.

VALVES (Steam):

Jenkins Bros., 80 White St., N. Y. C.

VALVES (Water Line):

Jenkins Bros., 80 White St., N. Y. C.

VAPOR HEATING SYSTEMS:

American Dist. Steam Co., No. Tonawanda, N.Y.
Moline Heat, Moline, Ill.
Vapor Heating Co., York, Pa.

VENTILATORS:

Burt Mfg. Co., The, 77 Main St., Akron, O. Manufacturers of all types of ventilators, both stationary and revolving.
Milwaukee Corrugating Co., Milwaukee, Wis.

WATER SYSTEMS:

Deming Co., Salem, O.

HOISTS

(See Elevators and Hoists)

INCINERATORS

Kerner Incinerator Co., 596 Clinton St., Milwaukee, Wis.

INSULATION (Sound and Heat)**BUILDING:**

Barrett Co., The, 17 Battery Pl., New York. Branch Offices in all large cities.
Cabot, Samuel, Inc., Boston. "Cabot's Quill."

MARBLE**ARCHITECTURAL MARBLE:**

Appalachian Marble Co., Knoxville, Tenn.

BANK FIXTURES AND INTERIOR MARBLE WORK:

Appalachian Marble Co., Knoxville, Tenn.

MUSICAL INSTRUMENTS**ORGANS:**

Kimball, W. W., Co., Chicago, Ill.

ORNAMENTAL BRONZE AND IRON

Polachek, John, Bronze & Iron Co., 480 Hancock St., Long Island City, N. Y.

PAINTS, VARNISHES, STAINS**PAINT:**

Sherwin-Williams Co., 880 Canal Road, Cleveland, Ohio.

PAINT (Steel Protective):

Barrett Co., The, 17 Battery Pl., New York. Branch Offices in all large cities.
Dixon, Joseph, Crucible Co., Jersey City, N. J.

STAINS:

Barrett Co., The, 17 Battery Pl., New York. Branch Offices in all large cities.
Cabot, Samuels, Inc., Boston. "Cabot's" Creosote Stains, Stucco Stains, Brick Stains. Old Virginia White and Old Virginia Tints.

VARNISHES:

Sherwin-Williams Co., 880 Canal Road, Cleveland, Ohio.

PARTITIONS**FOLDING:**

Wilson, J. G., Corp., 8 W. 40th St., New York.

METAL:

Berger, The, Mfg. Co., Canton, Ohio.
Interior Metal Mfg. Co., Jamestown, N. Y.; Bankers Trust Bldg., 501 Fifth Ave., N.Y.C. Interchangeable Hollow Metal Partitions.
Lupton's David, Sons Co., Philadelphia, Pa.

ROLLING:

Wilson, J. G., Corp., 8 W. 40th St., New York.

PERGOLAS

Hartmann-Sanders Co., Chicago, Ill.

PLASTER

(See Cement and Plaster)

PLUMBING

(See Heating, Ventilation, Plumbing)

REFRIGERATION**REFRIGERATING APPARATUS:**

Brunswick Refrigerating Co., New Brunswick, N. J.
Isko Co., The, 111 W. Washington St., Chicago, Ill.

ROOFING**ASPHALT:**

Carey, Philip, Co., The, Lockland, Cincinnati, Ohio. Carey Flexible Cement Roofing. A roofing for all classes of buildings, flat or steep surfaces; concrete, tile or wood sheathing construction. Made of a flexible asphalt cement in sheets 36 in. wide by 36 ft. long.

BARRETT SPECIFICATION ROOFS:

Barrett Co., The, 17 Battery Pl., New York. Branch Offices in all large cities.

CANVAS:

Boyle, John & Co., 112 Duane St., N. Y. C. "Bayonne" Roof and Deck Cloth. Three weights of fabric. Width, 30 in., 46 in.

SHEET METAL:

American Rolling Mill Co., The, Middletown, Ohio.
American Sheet & Tin Plate Co., Frick Bldg., Pittsburgh, Pa.

SHINGLES, METAL:

Milwaukee Corrugating Co., Milwaukee, Wis.

SLATE:

General Slate Co., 148 State St., Boston, Mass.
Rising & Nelson Slate Co., West Pawlet, Vt.; 101 Park Ave. Special slate to architect's design.

TILE (Reinforced-Cement):

American Cement Tile Mfg. Co., Pittsburgh and New York. "Bonanza" roofing tile.

SAFETY TREADS

American Abrasive Metals Co., 50 Church St., N. Y. C. Feralun for stairs, ramps, platforms, door saddles, coal hole and trench covers, sidewalk inserts, etc.
Solry Tile Mfg. Co., Brooklyn, N. Y.

"National"

Inter-connecting Metal Moldings



222
TWO WIRE ONLY



333
THREE AND FOUR WIRE

FOR YEARS THE STANDARD FOR

Surface Wiring

Economical and Easy to Install

Stocked by All Leading Jobbers

Safe and Sightly

Write for Descriptive Bulletin 101 and Installation Chart

National Metal Molding Co.

1111 Fulton Building, Pittsburgh, Pa.

Atlanta	Chicago	Havana	Paris	Salt Lake City
Boston	Dallas	Los Angeles	Philadelphia	San Francisco
Buffalo	Denver	Manila	Portland	Seattle
Buenos Aires	Detroit	New York	Rio de Janeiro	St. Louis

Canadian Distributors: Canadian General Electric Co., Ltd.

B19

<p>SASH (See Window)</p> <p>SASH CORD Samson Cordage Works, 88 Broad St., Boston.</p> <p>SHEET METAL American Rolling Mill Co., The, Middletown, Ohio. American Sheet & Tin Plate Co., Frick Bldg., Pittsburgh, Pa.</p> <p>FORMED PRODUCTS: American Sheet & Tin Plate Co., Frick Bldg., Pittsburgh, Pa. Berger, The, Mfg. Co., Canton, Ohio.</p> <p>METAL CEILINGS: Berger, The, Mfg. Co., Canton, Ohio. Edwards Mfg. Co., The, 319-349 Eggleston Ave., Cincinnati, O. Milwaukee Corrugating Co., Milwaukee, Wis.</p> <p>SKYLIGHTS</p> <p>ROLLED STEEL: Lupton's, David, Sons Co., Philadelphia, Pa. Milwaukee Corrugating Co., Milwaukee, Wis.</p> <p>STAINS (See Paints, Varnishes and Stains)</p> <p>STRUCTURAL STEEL</p> <p>PRESSED STEEL CONSTRUCTION: Berger, The, Mfg. Co., Canton, Ohio. "Metal Lumber." Pressed Steel Joints and structural members. Truscon Steel Co., Dept. 68, Youngstown, O. Representatives in principal cities. "Kaha" pressed steel beams, joists, studs, plates, etc.</p>	<p>STUCCO AND WALL BOARD</p> <p>PLASTER BOARD: Bishopric Mfg. Co., 744 Este Ave., Cincinnati, O. Bishopric Stucco or Plastic Board. The dove-tailed key locks the plaster. Made of crossotted lath, asphalt-mastic and heavy fibre board.</p> <p>STUCCO: National Kellastone Co., The, Chicago, Ill.</p> <p>TELEPHONES Stromberg-Carlson Telephone Mfg. Co., Rochester, N. Y.</p> <p>TERRA COTTA N. Y. Arch. Terra Cotta Co., Tel. Astoria 700.</p> <p>TERRA COTTA (Architectural): Midland Terra Cotta Co., 1515 Lumber Exchange, Chicago, Ill.</p> <p>TILE (See Flooring and Roofing)</p> <p>VARNISHES (See Paints, Varnishes, Stains)</p> <p>VENTILATION (See Heating, Ventilation, Plumbing)</p> <p>WALL BOARD (See Stucco and Wall Board)</p> <p>WATER AND DAMPPROOFING Barrett Co., The, 17 Battery Pl., New York. Branch Offices in all large cities.</p>	<p>WATER SUPPLY SYSTEMS Carter, R. E., Co., 152 Chambers St., N. Y. C.</p> <p>WINDOWS, METAL</p> <p>Crittall Casement Window Co., Detroit, Mich. Solid steel and bronze windows for office buildings, banks, public buildings, churches, university buildings, hospitals, residences, stores, factory offices, etc.</p> <p>Detroit Steel Products Company, Department No. 9, Detroit, Mich. Fenestra Solid Steel Windows are made from Solid Rolled Steel Bars interlocked by patented Fenestra Joints. Ventilators are equipped with adjustable, removable butts. Fenestra Gravity Cam Latch automatically locks ventilators when closed. Patented Channel Section gives ventilators double weathering.</p> <p>Lupton's, David, Sons Co., Philadelphia, Pa</p> <p>Pomeroy, S. H., Co., Inc., 30 E. 42d St., N. Y.</p> <p>Truscon Steel Co., Dept. 68, Youngstown, O. Representatives in principal cities. "United" steel sash in all types; horizontal and vertical pivoted sash; counterbalanced and counterweighted sliding sash; center pivoted and top hung continuous sash; steel and glass partitions; sliding and swinging partitions; sliding and swinging doors; casement sash of all designs.</p> <p>Winslow Bros. Co., 547 W. 27th St., New York City.</p> <p>WIRE GLASS</p> <p>Mississippi Wire Glass Co., 216 5th Ave., N. Y. C. Polished Wire Glass—"Romanesque," "Syenite," "Maze," "Pentecor," "Ribbed," "Rough," "Figured Wire Glass—"Apex," "Romanesque," "Syenite," "Maze," "Flor entine," "Figure No. 2," "Ondoyant," "Pentecor," "Ribbed," "Rough."</p>
---	---	--

**School of the Fine Arts
Yale University**

Department of Architecture

- A four-year general course in Architecture leading to the degree of Bachelor of Fine Arts (B.F.A.). Students may specialize in the above course (a) in Design; (b) in Construction.
- Special students properly qualified are admitted to the courses in the Department of Architecture.
Students of the Department of Architecture may avail themselves of general allied courses in Painting and Modeling. For special catalogue of the Department of Architecture address Secretary of the School of the Fine Arts, Yale University, New Haven, Connecticut.

**MODERN
SCHOOL HOUSES**

Part II

This volume gives the latest phases of School House Design, Construction and Equipment in the United States; 170 pages of Plates; 80 pages of Illustrated Text. Price (postpaid), \$7.50.

U. P. C. Book Company, Inc., Successor to
The American Architect Book Department
241-249 W. 39th Street New York

BEAUX-ARTS INSTITUTE OF DESIGN
126 East 75th Street New York City
LLOYD WARREN, Director
— FOUR FREE COURSES —

Architectural Design Sculpture
Interior Decoration and Modeling of Ornament
Industrial Art Design Composition in Mural Painting

These courses, conducted in co-operation with the Society of Beaux-Arts Architects, the Art Alliance of America, the National Sculptors Society and the Society of Mural Painters, respectively, are modeled on the principles of teaching of the Ecole des Beaux-Arts of Paris, and are intended for the instruction of students of Architecture, Interior Decoration, Sculpture and Painting, and of apprentices and workmen in the artistic trades allied to Architecture. Any course may be entered at any time during the year. The courses in Architecture, Interior Decoration and Painting may be followed outside of New York City under correspondence of the Institute. For the courses in Sculpture and Ornament Modeling instruction is given in the Studios at the Building of the Institute. Circulars of information concerning any of the courses will be mailed to those applying for them.

**Rendering of Perspectives
in Any Medium**

Drawing of Perspectives


G. A. Weisz, 15 East 40th St., N. Y.
Telephone Murray Hill 3659

UNIVERSITY OF NOTRE DAME
NOTRE DAME, INDIANA
COLLEGE OF ARCHITECTURE

Four-year courses in Design and Architectural Engineering with degrees. Graduate courses with Master's Degree. Two-year course in Design with certificate.
Catalogues on application

University of Michigan
COLLEGE OF ARCHITECTURE

Four-year courses in Architecture and Architectural Engineering. Two-year course for special students. For information, address College of Architecture, University of Michigan, Ann Arbor, Michigan.



"IMPACO"

**INTERIOR
FLAT FINISH**

Contains no white lead and will not chalk or rub off.
It dries flat with a soft and rich finish.
Made in any shade desired. Our line of specialties covers every requirement for concrete coating and general technical paints.
Write for sample cards.

IMPERIAL PAINT COMPANY, New York and Philadelphia, Pa.

OKONITE Insulated Electric Light Wires

Are pronounced by leading Architects to be *safe, durable and easily adjusted* for the inside wiring of *public and private buildings.*

THE OKONITE CO.,
Incorporated 1884

Novelty Electric Co., Phila., Pa.
F. D. Lawrence Electric Co., Cincinnati, O.

Passaic, N.J.

CENTRAL ELECTRIC CO.
Chicago, Ill., Gen. Western Agents
Pettengell-Andrews Co., Boston, Mass.
Cincinnati, O.



REG. U. S. PATENT OFFICE

RATES for Classified Advertisements

243 West 39th St., New York

Positions Wanted, 75 cents for 25 words or less and 2 cents for each additional word; **Help Wanted, Special Notices, Competitions, Proposals**, etc., \$1 for 25 words or less and 3 cents for each additional word. Ten lines or more 30 cents per line. Copy received until 12 m. Friday. **PAYMENTS STRICTLY IN ADVANCE.**

Position Wanted advertisements of men who have been serving in the army and who desire to make connection with architects' offices will be inserted free of charge.

HELP WANTED

WANTED—Junior draftsman to learn heating and ventilating engineering; best of opportunities. State experience and salary wanted to start with and send sample of work. Moline Heat, Engineering Dept., Moline, Ill. (tf)

WANTED—Several experienced senior and junior draftsmen. Write, giving full particulars. Gilbert & Betelle, Architects, 665 Broad St., Newark, N. J. (t. f.)

HAVE opening for three first-class draftsmen. One for position of chief draftsman, one for designing and preliminary work, including perspective; the other for working drawing. Chance for permanent responsible positions for thoroughly efficient men. Others need not apply. R. H. Hunt, Architect, Chattanooga, Tenn.—Dallas, Texas. (2289-90-91-92)

ARCHITECTURAL Designers and Draftsmen, also Architectural Engineering Designers, wanted for positions in several different states, salaries \$35 to \$75 per week. No advance fee if you mention this ad. Address Arch. Dept., The Engineering Agency, (27th year), 1662 Monadnock Bldg., Chicago, Ill. (2291-92-93-94)

DRAFTSMEN—High grade experienced Architectural Draftsmen for general commercial and industrial work. Application must be accompanied by samples of work, salary required, and reporting date. Smith, Hinchman & Grylls, Washington Arcade, Detroit, Michigan. (2291-92-93-94)

DRAFTSMEN—High grade experienced architectural draftsmen for general commercial and industrial work. Salary \$200.00 to \$300.00 per month. Application must be accompanied by samples of work and reporting date. Smith Hinchman & Grylls, Washington Arcade, Detroit, Michigan.

DRAUGHTSMAN—Neat worker, capable of making complete working drawings from sketches; ability to design or knowledge of engineering not necessary.

SPECIFICATION WRITER AND SUPERINTENDENT—An energetic, tactful man with thorough knowledge of his work

TRACERS—Who have had experience and can make nice tracings and do good architectural lettering.

STEADY POSITIONS—For right men. Write fully and send samples of work, if possible.

Mann & Stern, Architects, Little Rock, Ark. (2292-93-94)

WANT six architectural draftsmen, permanent positions, state experience, age, salary and date available. Smith, Rea & Lovitt, Kansas City, Mo. (2292)

WANTED—First class architectural draftsman, technical graduate, 35 or over, well grounded in working drawings and in design. Man should be competent to take charge of office or on building if necessary. Give all particulars in first letter. L. A. Walsh, Architect, Waterbury, Conn. (2292)

A New Field for an Architect

Somewhere in New York or vicinity is a man who thoroughly understands the point of view of the architect. He has also been something of a student of advertising as its appeal is directed to architects. He is able to make an advertising layout that is properly proportioned and harmonious. He can write advertising copy that rings true, because of his personal knowledge of what an architect wants to know about building materials and equipment presented, for his consideration.

For such a man a position is waiting in an important advertising organization. The initial salary will be moderate, and advancement will depend upon the demonstrated results achieved. If you think you are the man please write in confidence to J. M., care The American Architect, 243 West 39th Street, New York. (2291-92-93)

POSITIONS WANTED

ARCHITECTURAL Draftsman and Designer, 15 years all-around practical experience with prominent architects, will be open for engagement January 1920. Age 34. Salary \$300 month. Excellent references furnished. Address Box 90-E, care The American Architect (2292)

SALES ENGINEER, located at Newark, with large following among architects, contractors and industrials throughout Northern New Jersey, will represent manufacturer of meritorious specialties. Commission basis. Address 90-D, care The American Architect. (2290-91-92-93)

PARTNERSHIP WANTED—Designer of exceptional ability, Beaux Arts training and wide practical all-around experience in the East and West, covering every type of building, will relinquish present connection for a partnership, an association or a bona fide equivalent arrangement with an early partnership its aim. Himself of sober ambitions, an active and tireless make-up and resourceful ingenuity, he is confident a proper dual association can triple the effectiveness of either single party operating alone. Address P. O. Box 1175, Indianapolis, Indiana. (2292-93)

SPECIAL NOTICE

WANTED—A copy of "Garages Country and Suburban"; \$1.50 will be paid for a copy of this book in good condition. Advise The American Architect, 243 W. 39th St., New York City, if you have a copy to dispose of. (t. f.)

PROPOSALS

NOTICE TO CONTRACTORS—Sealed proposals for Additional Refrigeration Equipment, Storehouse, Bakery, Refrigerating Plant and Cold Storage Building, Letchworth Village, Thiells, N. Y., will be received by Hon. Frank A. Vanderlip, President, Board of Managers of Letchworth Village, at 7 Wall Street, New York City, until 12 o'clock noon on Thursday, January 15, 1920, when they will be publicly opened and read. Proposals shall be enclosed in an envelope furnished by the State Architect, sealed and addressed, and shall be accompanied by a certified check in the sum of five per cent (5%) of the amount of the proposal. The contractor to whom the award is made will be required to furnish surety company bond in the sum of fifty per cent (50%) of the amount of the contract within thirty (30) days after official notice of award of contract and in accordance with the terms of Specification No. 5332. The right is reserved to reject any or all bids. Drawings and specifications may be consulted at Letchworth Village, Thiells, N. Y., at the office of the Secretary, Franklin B. Kirkbride, 7 Wall Street, New York City, at the New York Office of the Department of Architecture, Room 618, Hall of Records Building, and at the Department of Architecture, Capitol, Albany, N. Y. Drawings and specifications and blank forms of proposal may be obtained at the Department of Architecture, Capitol, Albany, N. Y., upon reasonable notice to and in the discretion of the State Architect, L. F. Pilcher, Capitol, Albany, N. Y.

Dated: December 19, 1919.

(2292)

American Churches

In Two Volumes

Price Per Set \$15.00 Postpaid, or \$7.50 Per Volume

AN authoritative and important exposition of **AMERICAN CHURCH WORK.**


Contains nearly 500 illustrations; also text articles of especial authority on different phases of Church Design and Construction.

U. P. C. Book Company, Inc.

Successor to The American Architect Book Dept.

241-249 West 39th Street

NEW YORK



The Burnham Flue Openings are between each section, on each side of the boiler—each section is equally heated.

Consider What Happens to Coal Bills When This Happens in a Boiler

By "this" we mean "Chimney Scoots."

The heat scoots up the chimney, instead of being caught by the boiler and sent into your radiator.

It's caused mainly because the opening through which the smoke and heated gases must pass on their way to the chimney is at the back of the boiler, as indicated by the chalk mark of our friend above.

Which, in turn, means that the flames are drawn away from the front, directly to the back.

That means that the front does a lot less heating than the back.

It's just like putting a kettle

over a fire that comes in heating contact with only half of its bottom.

Happily, there is a way to make all of the flames in a boiler come equally in contact with all the heating surfaces.

The Burnham Boiler is made that way. It's one of the big reasons why the Burnham gives so much heat from so much less coal.

But there are other things that can be done to increase the heat to be secured from your coal.

The Happy Solution tells about them all in an everyday common sense way.

Send for it.




Lord & Burnham Co.

Irvington, N. Y.

Representatives in all Principal Cities

Canadian Office: Royal Bank Bldg., Toronto

Largest Elevator Installation in the World



To the left—Otis Push Button Control Micro-Levelling Elevators in United States Army Supply Base, Brooklyn, N. Y.



To the right—Dispatch Board Controlling Elevators

The efficiency achieved at the huge United States Army Supply Base in Brooklyn, N. Y., is largely attributable to the use of Otis Push Button Control Micro-Levelling Elevators—in conjunction with tractor trains.

This is the largest elevator installation in the world, consisting of ninety-six elevators, ninety of which are 10,000 pounds capacity Otis Freight Elevators of the self-levelling automatic type.

The elevators in the warehouses are operated in banks of ten and seven, by means of simple dispatch boards, so that one dispatcher operates an entire bank of elevators. No operators are needed on the elevators themselves.

Due to the elimination of operators'


salaries alone, this Otis installation saves about \$160,000 a year in operating expense.

The same efficiency and proportionate savings will be obtained through the use of Otis Push Button Automatic Elevators in any industrial building of two or more floors.

OTIS ELEVATOR COMPANY

Eleventh Avenue and Twenty-sixth Street, New York

Offices in All the Principal Cities of the World



Rubber insulated wire for general house and factory wiring

The name General Electric Company on an electrical device is a guarantee of quality backed by over a quarter-century's experience in the generation, transmission, distribution and application of electricity.


G-E Braided Wire and Cables

THE General Electric Company makes a specialty of rubber insulated conductors, complying in every detail with the requirements of the National Electrical Code. The G-E product may be identified by one red and one black thread woven parallel in the braid.

National Electrical Code wires and cables are supplied with the G-E Red Core Grade of compound. The standard finish is a cotton braid weather-proofed. Other finishes can be supplied if necessary. All weather-proof braided wires and cables, if specified, can be furnished with a coating of talc to facilitate installation in conduit. If desired, a braid of unbleached cotton run through paraffine can be furnished, thus giving a light-colored braid for identification.

General  Electric Company
 General Office Schenectady, N.Y. Sales Offices in all large cities.

Brunswick



The Brunswick System of Mechanical Refrigeration is practically universal in application.

Brunswick refrigeration for office buildings, factories, moderate sized hotels, restaurants, hospitals, sanitariums, schools, apartment houses and private homes has proved satisfactory wherever used.


Let us help you with your refrigeration problems.

BRUNSWICK REFRIGERATING CO.


106 Jersey Ave.

NEW BRUNSWICK, N. J.

BRUNSWICK



Before Grinding



Top Rail Section

Side Rail Section
(Glass Dotted)



After Grinding

Here's What We Mean

by the "integrally welded joints" of Lupton Counterbalanced and Counterweighted Sash.

Not just a dab here and there, but continuous fusion of the members along their entire line of contact. It's no longer a "joint," but one solid piece of metal.

Side rails, top and bottom rails, muntins—made permanently one piece. No rusting to loosen the joints, as when rivets are used. No hidden surfaces inaccessible to paint.

Pond Continuous Sash is put together in the same permanent way: no other is good enough.

You want this kind of joint in your sash. See that you get it (it costs more than other kinds).

The *sure* way is to specify Lupton Counterbalanced or Counterweighted and Pond Continuous Sash.

DAVID LUPTON'S SONS COMPANY

Tulip and Janney Sts.


Philadelphia, Pa.

Specialists in daylighting and ventilating equipment for maximum production.

Chicago Detroit New York Washington Cleveland Pittsburgh Boston

Canadian Manufacturers: The A. B. Ormsby Co., Ltd., Toronto.

(Lower halftone shows Lupton Counterbalanced Sash with windshields for offices)



Lupton


INVESTMENT VALUE

A Million and a Half Hoffman Valves

Are at work day in and day out, performing their varied service with utmost satisfaction. Could better proof be given of their dependability?

There is no valve "just as good" as the Hoffman, a fact that is borne out by the widespread specification of it by architects of long experience. The confidence which is unhesitatingly accorded the Hoffman venting valves has not been misplaced, and the Hoffman Specialty Company jealously guards this reputation which years of efficiency and faithful service have gained for its products.

There is a five-year guarantee.



No. 8 Hoffman Return Line Valve


Write for special catalog prepared for the architect and engineer

HOFFMAN SPECIALTY CO., Inc.

512 Fifth Avenue, New York

Chicago: 130 N. Wells St.

Los Angeles: 215 W. 7th St.



WAGNER

Flush Sliding Door Partitions

Each door has its own track, that for one door being straight, the others having compound curves, as shown in cut. When closed all doors are flush. They may be designed so as to slide into

a pocket when opened, or occupy a space alongside of a stationary panel. This panel may have a swing door for passage when opening is closed.

Our Engineering Department willingly gives advice on building problems, without charge. The service of these experts is yours for the asking. Feel free to write.

WRITE FOR CATALOG

17—Elevator Door Equipment.

18—Engineering Catalog — Overhead Carrier Systems, Door Hangers and Tracks.

C-18—Overhead Carrier Systems.

F-18—Fire Door Fixtures.

G-19—Garage Door Equipment.

H-19—Door Hangers and Tracks.

P-19—Hangers for Sliding Flush, Parallel and Accordion Door Partitions.

WAGNER MANUFACTURING CO.,

Department B
Cedar Falls, Iowa, U. S. A.

Modern School Houses

PART II

This Volume is a valuable exposition of the latest phases of School House Design, Construction and Equipment in the United States.

It illustrates numerous Schools of recent construction, notable for excellence.

It contains: { 170 pages of Plate Reproductions
80 pages of Illustrated Text

Articles are by well-known Architects and Engineers who are Specialists in School House Work.

Much attention is given to the latest developments in Vocational and Manual Training Schools.

Printed on heavy coated paper Size 9x12 inches Substantial cloth binding

PRICE POSTPAID \$7.50

U. P. C. BOOK COMPANY, INC.

Successor to The American Architect Book Dept.

241-249 W. 39th Street

New York

THOMAS MADDOCK'S SONS COMPANY
TRENTON, NEW JERSEY
INSTALLATIONS



Architects: Shepard, Farrar & Wiser, Kansas City
Plumbing Contractors: MacMahon Co., Kansas City
Plumbing Jobbers: W. B. Young Supply Co., Kansas City

IN THE GEORGIAN COURT APARTMENTS, KANSAS CITY

RECOGNITION OF THE CONVENIENCE AND SANITATION DUE
ITS TENANTS RESULTED IN THE INSTALLATION OF
THOMAS MADDOCK'S MODERN, SANITARY PLUMBING FIXTURES

MIDLAND TERRA COTTA

for

BETTER BUILDINGS

There is a growing movement to beautify our towns and cities by more attractive business buildings.

In attaining this result, MIDLAND terra cotta is practically indispensable. It insures durability as well as beauty.

**MIDLAND TERRA COTTA CO.
CHICAGO**




Corydon Building,
Chicago, Ill.
J. C. Christensen,
Architect.

Ready for Service



Jenkins Valves can be installed with a feeling of confidence. You can place them in service and know they are ready to meet any condition that may arise.

The severest service to which a valve may be subjected, not the average service, has been considered in the design and manufacture of Jenkins Valves. Every valve in each type is made heavy and strong enough to meet any condition that may arise in the use for which it is recommended.



In the sectional illustration of the Jenkins Brass Globe Valve, herewith, note the uniformly heavy construction throughout. There are no weak points, no parts unable to cope with the service and wear demanded of the valve.


Jenkins Valves are made in types and sizes to meet all requirements. Know them by the Jenkins "Diamond Mark."

JENKINS BROS.

New York	Philadelphia	Washington, D. C.
Boston	Chicago	Montreal
San Francisco	Pittsburgh	London
	St. Louis	

Jenkins Valves

Wilson Folding Partitions



ALL PARTITIONS FOLDING AT THE END OF ROOM
Folding Partitions as installed in the Church of the Evangel, Brooklyn, N. Y.

PARTITIONS ON SUNDAY SCHOOL SIDE
Architects, Nelson & Van Wagenen, New York.

WILSON FOLDING PARTITIONS are adaptable to almost any condition. The accompanying cuts illustrate how any number of openings may be equipped with **Wilson Folding Partitions**, without the necessity of folding against the columns.

The special features of the **WILSON FOLDING PARTITIONS** are *they do not hang and there are no half doors.*

For further information write to

THE J. G. WILSON CORPORATION

8 West 40th Street, New York City

Manufacturers of Rolling Partitions
Hygienic Wardrobes, Diffuselite Blinds, etc.



Fire Resisting Crack Preventing Rat Excluding

Because
Metal
Lasts

"NETMESH METAL LATH IS A PERMANENTLY PROTECTIVE BACKING FOR PLASTER OR STUCCO WALLS. Nothing else will do in exposed locations where extra fire hazards exist. Nothing better for general use. Made also with corrugations, adapting it to uses where a self-furring lath is desired.

WRITE FOR METAL LATH
AND CORNER BEAD BOOKLET.




Milwaukee Corrugating Co.

MILWAUKEE, WIS.

Branch at Kansas City Mo.
Minneapolis Sales Office, Lumber Exchange





WINDOW-WALL
 For the Sleeping Porch de Luxe

meets the most exacting architect's demands for scientifically correct ventilation of sleeping rooms, sun parlors, clubs, hospitals, tea rooms, detached sleeping quarters.

Many architects are specifying Window-Wall and all agree that this type of window construction solves the fresh air bedroom problem. No awnings, shades, canvas or other flopping and hanging makeshifts needed with Window-Wall.


It is the only sash that combines the two essential requirements, free admittance of healthful fresh air with protection from strong light, rain and cold winds. The special All-Weather sash, which fits in the same frame with the glass sash, can be lowered out of sight in the Tuck-Away casement and covered with the hinged sill.

Write for architects' file of blue prints and views of installations.
 (See Sweet's Catalog pages 894, 895.)

**THE
 WINDOW-WALL
 CO.**

Marietta, Ohio





VAPOR HEATING Broomell System

A properly designed Vapor Heating plant is by far the best and most satisfactory heating system.

The ease with which any desired temperature can be secured, its steady, smooth and noiseless operation, the certainty of reaching the most distant parts of the building, its freedom from delicate or complicated parts and its economical use of fuel makes real VAPOR an ideal outfit. THE BROOMELL SYS-


TEM, while suitable for buildings of any size or kind, is especially desirable for apartment houses, hotels, hospitals, schools, office buildings, and fine residence work.

In large institutions where steam is taken from a central plant we reach the most remote buildings with only a few ounces pressure. We furnish complete drawings and specifications. Send Blue Prints with instructions to nearest office.

VAPOR HEATING COMPANY, YORK, PA.

597 Fifth Avenue, New York City

North American Building, Philadelphia, Pa.



**Wide Decking
Flooring 4" to
8" random
widths and
lengths. A re-
vival of the old
Colonial plank
floor.**


Made from Qtd. white oak and showing effect of wooden pegs or pins and artificial crack line of darker wood all making a smooth and polished floor.

Floor Laying Agencies in most large Eastern cities.

Showroom and warehouse building,
No. 4 Bush Terminal, Brooklyn, N. Y.

WOOD-MOSAIC COMPANY

New Albany, Indiana



Application of Feralun at a point traversed by thousands of persons daily

The Menace of Slipping Eliminated by **FERALUN** AND **VULCALUN** Safety Surfaces

More people are killed by slipping, tripping and falling on stairways and in public walking places than by fires, elevators and street cars combined.

This startling fact is brought out in the accident reports compiled by the Federal Bureau of Statistics.

The slipping menace is effectively overcome by the use of Feralun and Vulcalun.

Feralun is an abrasive surfaced metal. Vulcalun is an abrasive rubber. They are ideal for stair treads and other danger zones.

"Feralun and Vulcalun for Safety in Walking"

American Abrasive Metals Co.


50 Church Street

New York

The Floor That Stands Up

BLOXONEND FLOORING

Wood blocks dovetailed endwise onto wood base strip matched like flooring.



Perfect Installation Over Concrete with Imbedded Sleepers

**LAYS SMOOTH
STAYS SMOOTH**

BLOXONEND combines the durability and resilience of a street pavement with the smoothness of a matched floor. Adaptable to Wood, Steel or Concrete construction.

End of grain exposed to wear. Sections average 7½ ft. long.


If you need BLOXONEND you pay for it if you don't buy it. It pays for itself if you do. Write for booklet containing detailed information.

Carter Bloxonend Flooring Co.

Home Office, 1301 R. A. Long Bldg., Kansas City, Mo.
Chicago Office, McCormack Bldg.
New York Office, Astor Trust Bldg.

(In Sweet's)

PERMANENCY



*Passing years
cause no
deterioration in*

Best Bros. Keene's Cement

"The Permanent Interior Plaster"

Age only increases its hardness and durability. The one interior plaster that can be used to wonderful advantage for general plastering or for ornamental work—a plaster with permanency as one of its chief char-

acteristics. Experienced architects know it—hence their recommendation and constant specification for buildings of any size or purpose. *Our Free Book sent postpaid on request.*

The Montefiore Home, Gun Hill Road, New York. Arnold W. Brunner and Buchman & Fox, Architects. *Best Bros. Keene's Cement* used for interior plastering.

The Best Bros. Keene's Cement Co.

NEW YORK

Established 1889
MEDICINE LODGE, KANSAS


CHICAGO



- JOHNSON - JSC - SYSTEM -

No Rubber in The Johnson All-Metal Thermostat

The metal diaphragm in the thermostat and the "Sylphon" metal bellows valve have eliminated all rubber from the Johnson system.



Johnson Service Company

Milwaukee, Wis.

TEMPERATURE JSC REGULATION

*USING Quantity Surveys
makes everything clean cut
and precise. Try it once.*

Get Our Bulletin No. 8.

The Quantity Survey Co., Inc.

Established 1914. Wm. Graves Smith, Pres. Tel. Bryant 3120

17 West 45th St. New York City



CRITTALL STEEL CASEMENTS

for
Artistic Residences
and other substan-
tial buildings

Made in varied designs
to meet all conditions



Crittall Casement Window Co.
Detroit

Manufacturers of Steel Casements and Windows
Manor Works, Braintree, England



Stands the Test

The wire that passes the inspector's test by a safe margin—the wire that endures the test of time is—

Dolphin Insulated Wire

—an Atlantic wire of high quality with great dielectric strength and resiliency. Its extensive use is proof of its dependability. Maximum service and entire satisfaction result from DOLPHIN insulation.



"Triton" is a high grade Atlantic insulated wire of uniform quality and strength, built along the same principles that have made all Atlantic Wires popular.

ATLANTIC INSULATED WIRE & CABLE COMPANY



Sales Office
52 Vanderbilt Avenue
New York, N. Y.

Factory
Stamford, Conn.

- | | | |
|---|--|--|
| Baltimore, Md.
Electrical Sales Co.,
2 E. Redwood St. | Boston, Mass.
A. D. Stein, Selling Agent,
156 Purchase St. | Pittsburgh, Pa.
W. A. McCoombs & Co.,
Union Arcade Bldg. |
| Chicago, Ill.
Geo. C. Richards & Co.,
557 W. Monroe St. | Louisville, Ky.
R. C. Coleman & Son
Starks Bldg. | St. Louis, Mo.
Doxsee Elec'l Co.,
1413 Pine St. |
| St. Paul, Minn., Rank & Goodell, Merchants Bank Bldg. | | |

WATER SUPPLY

ARTESIAN WELLS DRILLED
COMPLETE PUMPING PLANTS INSTALLED

Engineering and contracting service for isolated water supply from any source.

RALPH B. CARTER CO., 152 Chambers St.,
NEW YORK 2-2

SAMSON SPOT SASH CORD



SAMSON CORDAGE WORKS, BOSTON, MASS.

"Southern Beauty" Enameled Ware

Manufactured by
THE CAHILL IRON WORKS
CHATTANOOGA, TENN.

AMERICAN ELEVATORS

Built by
**AMERICAN ELEVATOR
and MACHINE CO.**
INCORPORATED
LOUISVILLE, KY.

Edwards Steel Lockers

*Built for Strength
and Durability*



Require the least number of parts to complete a unit, reducing the labor of erection to a minimum. Can be erected by ordinary workmen, the only tools needed—a wrench and screw driver. Will gladly furnish sketches showing arrangements of lockers suitable for your requirements. Send specifications for estimate.

The Edwards Mfg. Co.
319-349 Eggleston Ave.,
Cincinnati, O.

Metal Roofing—Metal Garages—Portable Buildings—Steel Lockers—Shelving—Bins—Rolling Steel Doors—Partitions—Steel Trucks, etc.

APOLLO-KEYSTONE

COPPER STEEL
Galvanized

Sheets



Highest in quality and rust resistance. Unequaled for Culverts, Flumes, Tanks, Roofing, Siding, Spouting, and all exposed sheet metal work.

We manufacture Sheet and Tin Mill Products of every description—Black and Galvanized Sheets, Corrugated and Formed Products, Roofing Tin Plates, Etc.

AMERICAN SHEET AND TIN PLATE COMPANY, Pittsburgh, Pa.



The Charm of the MASTER PENCIL

As the days go by you will develop a certain attachment for your Dixon's Eldorado.

Unconsciously at first, and then consciously, you will find yourself selecting it from the several pencils that lie on your desk.

With the first touch of pencil to paper you will realize that here is a pencil that fits your hand and your work and your mood better than any other you have ever used.

Write to us on your letter-head for full-length free samples of your favorite leads.

DIXON'S ELDORADO

the master drawing pencil

Made in 17 Leads—one for every need or preference

JOSEPH DIXON CRUCIBLE CO.
Pencil Dept. 14-J, Jersey City, N. J.

Canadian Distributors
A. R. MacDougall & Co., Ltd., Toronto

6 DIXON'S "ELDORADO"—the master drawing pencil—3B

BANKERS' TRUST CO. BUILDING
 Trowbridge & Livingston—Architects
 Marc Bidlitz & Son—Contractors
 A monument of quality.
 Mississippi Wire Glass Installed
 Exclusively.

MISSISSIPPI WIRE GLASS CO.
 216 Fifth Avenue
 New York Chicago St. Louis

AN INTER-COMMUNICATING TELEPHONE SERVICE

is an important feature in
Plans for Office and Factory Remodeling


STROMBERG-CARLSON
Inter-Communicating Telephones

are built especially for this class of work. Made in sizes up to 32 stations. Bulletin 3017 contains engineering information, illustrations and prices which should be on file in every architect's office. Write for copy NOW.

Refer to Sweet's Catalog and The American Architect Specification Manual for additional data and specifications.

STROMBERG - CARLSON TELEPHONE MFG. COMPANY

Rochester, N. Y. Chicago, Ill.
Kansas City, Mo. Toronto, Ont.
Dealers and Installers in all principal cities.



SOLRY
100% NON-SLIP
COMPOSITION

How many accidents occur on account of slipping on corridor floors where the floors are level?

Let Our Engineers Co-operate with You

Solry Tile Manufacturing Co.

INC.

15 CLASSON AVE., BROOKLYN, N. Y.

ARCHITECTS will find this Literature of Value



Hand-Book of Fireproof Construction



Ceco Fireproofing and Reinforcing Materials

HANDBOOK OF FIRE-PROOF CONSTRUCTION—a complete description and explanation of Meyer Steelform Construction, its architectural advantages, with construction details, specifications and designing data—a truly valuable addition to your files.

CECO FIREPROOFING AND REINFORCING MATERIALS—a pocket-size handbook containing complete data as to styles, sizes, weights, etc., of our complete line of reinforcing and fireproofing materials. You will find this data useful in writing specifications.

Send for both on your letter head

CONCRETE ENGINEERING CO.

Chicago, Milwaukee
OFFICES: Omaha, Detroit, Des Moines, Kansas City
WAREHOUSES: Omaha, Chicago, Kansas City

Note the Lock-Joint

KOLL'S PATENT Lock-joint Wood Columns Cannot Come Apart


To insure permanent construction specify "Koll's Patent" Lock-Joint Wood Columns. About 75% of our business comes to us through architect's specifications.

Our business is founded on repeat orders and permanent customers. Write for Catalogue.

Hartmann-Sanders Co.

Chicago
2155 Elston Ave.

New York
6 E. 39th St.





To Architects desiring to confer with specialists concerning their

PAINT PROBLEMS

we offer the assistance of our technical service department. Our experts are ready at all times to cooperate in every way possible.

Correspondence Invitea

Benjamin Moore & Co.

*Manufacturers of
Paints, Varnishes and Muresco*

New York Chicago Cleveland St. Louis
Carteret Toronto

The UNIVENT


"LIVE OUTDOORS-INDOORS"
(TRADE MARK)

**is a good advertiser
for you, Mr. Architect**

Well, why shouldn't it be?

You specify it in your plan for a public or high school, moving picture theatre, hotel, opera house, hospital, bank, etc. It operates with the highest efficiency. It pleases and satisfies everybody concerned. People inquire about it. They find it O. K., become interested and are directed to you. Result—another job with a UNIVENT ventilating system specified by the client.

—And so it works out in numerous cases. We call to mind many parallel instances, working out just about like this.



*Phantom View
of Univent*

Let us give you all the facts about the UNIVENT—the 100% fresh air diffusion system which is unlike every other in that it has lived up to our exclusively high requirements without a single setback since the day we installed our first unit.

Our illustrated catalogue will tell you a complete story. Send for it today. Dept. A.



Moline Illinois



Hygienic Composition Flooring

DURABLE RESILIENT FIREPROOF



It takes but few words to state facts.

If you want to specify a safe, sanitary flooring, a flooring that has our reputation for **QUALITY** and **WEAR** back of it—if you want to exchange **UNCERTAINTY** for genuine **RELIABILITY**, and at a price as low as that of Wood, Linoleum, etc., specify and insist on the installation of


Asbestone Composition Flooring

Estimates, samples and full particulars on application.

FRANKLYN R. MULLER & CO.

Composition Floor and Stucco Manufacturers.

994 Madison Street, Waukegan, Illinois



FOWLER DESK CLOCK
(With Alarm Attachment)

THIS model (one of many) is used in connection with the Fowler Electric Clock System in Hotels, Schools, Hospitals, Apartment Houses and Office Buildings.

The Fowler Master Clock which regulates the Desk Clocks and other Secondary Clocks is a marvel of accuracy and simplicity.

Estimates on installation of electric clock systems furnished and catalogue sent on request.

Manufacturing and Sales Corp.
40 Cedar Street New York



Foster Building, Denver, Colo.

One of Denver's best office buildings, illustrated above, is equipped with Stanley Ball Bearing Butts. Why?

The Stanley Works
New Britain, Conn.

New York

Chicago

"Use Stanley Ball Bearing Butts for Permanence"



Build in Winter Weather?

Why not? Construction of new buildings should not be permitted to lag on account of lower temperatures. The shortage of homes and other buildings is scarcely less than last spring. An all-year-round material is available.

KELLASTONE
IMPERISHABLE STUCCO

Can be successfully applied regardless of cold weather. It is a non-freezing, all-mineral composition; the original magnesite stucco, peer among plastic building materials. Produces beautiful finished structures at moderate cost which are proof against fire and water, frost and decay. Let us tell you about this timely solution of present building needs.

NATIONAL KELLASTONE CO.
Room 518, 155 E. Superior St. Chicago, Ill.

American Wire Rope

Send for Special Illustrated Catalogue

American Steel & Wire Company

CHICAGO
NEW YORK
CLEVELAND
PITTSBURGH
DENVER
U. S. STEEL PRODUCTS CO.

Boyle's ayonne

Roof and Deck Cloth

Combines all the qualities necessary to make it an ideal floor covering for Piazzas, Sleeping Porches, Sun Parlors, Conservatories, etc.

It is absolutely waterproof and is easy to lay, as it requires no white lead bedding; simply laid on dry boards, yet lays flat and stays flat. It neither buckles nor shrinks and is noiseless to the tread of feet or the patter of rain. Its remarkable durability makes it economical.

Nothing better made, and has years of service and the experience of architects the country over to recommend it.

Write to the manufacturers for sample book "N" with prices and specifications for laying.

John Boyle & Co., Inc.

Established 1860

112-114 Duane Street
70-72 Reade Street

New York

Branch House
202-204 Market St., St. Louis
Missouri



GECO ANTI-SIPHON TRAP

Thorough Draining and
Self-Cleaning



PREVENTS
SIPHONIC
ACTION

BARRIER
AGAINST EN-
TRANCE OF
SEWER GAS

REDUCES EX-
PENSE OF
INSTALLA-
TION

SOLVES
COMPLEX
PROBLEMS

INSURES SERVICE AND
PROTECTION IN RESTRICTED SPACES

Franklin Williams, Inc.

142 East 41st St., NEW YORK

Carey

ASFALTSLATE SHINGLES

Have a Reputation to Maintain

Back of Carey Asfaltslate Shingles, Roll Roofings and Built-Up Roofings is an institution that was born when Grant was president. Its reputation for quality products has been well earned by 46 years of exceptional value giving.

Nearly two generations of practical roofing experience goes into every square of Carey Roofing now produced.

Here is substantial assurance that quality will be maintained.

The Philip Carey Co.

505-525 Wayne Ave., Lockland, Cincinnati, Ohio

Roofing Slate



The Predetermined Roof in Colored and Rough Slate

- A new and original system for visualizing slate in the actual colors as it will appear on the roof.
- Eliminates practically all the chance element.
- Interprets the samples as they will appear in position.
- Let us send full particulars for your future work.
- We are quarriers and makers of all kinds of roofing slate, graduated, heavy, colored, black, green, purple, red, mottled, etc.

Producers of the famous Monson Maine Slate,
having the United States Government's highest test.

General Slate Company

148 State Street

Boston, Mass.

WINSLOW WINDOWS

AUSTRAL BALANCE

WINSLOW CASEMENTS

All Solid Rolled Steel



Scientific ventilation, maximum light, weather tightness, easy operation—the perfect window for Offices, Hospitals, Government buildings, etc.

WINSLOW BROS. COMPANY
Window Department
542 W. 27th ST., NEW YORK
Branches All Principal Cities

ROOFING SLATE

*Heavy Graduated Slate
Tudor Stone
Verde Unique
Tudor Stone, Jr.
Standard Slates all kinds*

Architects' Service Department, Room 811, Architects' Bldg., N. Y. C. Samples also filed with Architects' Samples Co., 101 Park Ave., N. Y. C.

RISING & NELSON SLATE CO.

West Pawlet, Vermont New York Chicago Boston



HIGGINS'

VEGETABLE GLUE, Etc.
DRAWING INKS
ETERNAL WRITING INK
ENGROSSING INK
TAURINE MUCILAGE
PHOTO-MOUNTER PASTE
DRAWING-BOARD PASTE
LIQUID PASTE
OFFICE PASTE

ARE THE FINEST AND BEST GOODS OF THEIR KIND
Emancipate yourself from the use of corrosive and ill-smelling inks and adhesives and adopt the Higgins' Inks and Adhesives. They will be a revelation to you, they are so sweet, clean and well put up, and withal so efficient. They are specially adapted for use in Architects' and Engineers' offices, as well as for general home and office use.
AT DEALERS GENERALLY

Chas. M. Higgins & Co., Manufacturers
Branches: Chicago, London 271 NINTH ST., Brooklyn, N. Y.

Clow Quality Plumbing

Always Pays



James B. Clow & Sons
534-546 So. Franklin St. CHICAGO

BOSTWICK METAL LATH

Insures Satisfactory Lath and Plaster Work

Bostwick Steel Lath Co. Niles, Ohio
Pioneer Makers of Metal Lath

BERGER

SEE SWEETS


METAL LUMBER, P. 176 STEEL CEILINGS, P. 417
REINFORCING MATERIALS, P. 202-05
STEEL LOCKERS, SHELVING, FILES, P. 1408

Branches: **THE BERGER MFG. CO., Canton, Ohio**
Boston, New York, Philadelphia, Chicago, St. Louis, Minneapolis, San Francisco

RUNNING WATER—

Is absolutely essential to make home comforts complete. Earn your client's gratitude by specifying a system of water supply that is noiseless, dependable, satisfactory. Back of every

Deming



Water Supply System is 40 years of specialized pump knowledge. Made for country and suburban homes; private estates; office buildings; factories, etc. Catalogue on request or see pages 1104-1107 in "Sweet's."

THE DEMING COMPANY
SALEM, OHIO

General Distributing Houses:
Chicago: Henion & Hubbell.
Pittsburgh: Harris Pump & Supply Co.
New York: Ralph B. Carter Co.
Denver: Hendrie & Bolthoff Mfg. & Supply Co.
San Francisco: Crane Co.



Before you plan another building write for free sample and book entitled "Wisdom."

The Bishopric Manufacturing Co.
200 Este Avenue
Cincinnati Ohio

Atlas Cement used exclusively on the Panama Canal. 800,000 tests made by the Government without a single rejection.

"The Standard by which all other makes are measured."

The Atlas Portland Cement Company

New York Boston Philadelphia Savannah
Chicago Dayton Minneapolis Des Moines St. Louis



A RESPONSIBLE ORGANIZATION OF ENGINEERS & MANUFACTURERS

KAESTNER & HECHT CO.

ELECTRIC ELEVATOR BUILDERS
CHICAGO

DETROIT • ST. LOUIS • CLEVELAND • SAN FRANCISCO •

SIXTEENTH EDITION THE NEW KIDDER ^{57TH} THOUSAND EDITION

Architects' and Builders' Pocket-Book

The following Associate Editors and Contributors personally EDITOR-IN-CHIEF

By the late FRANK E. KIDDER 16th Edition Rewritten
THOMAS NOLAN, F.A.I.A.
Professor of Architectural Construction, University of Pennsylvania, prepared various articles

R. C. CARPENTER THOMAS NOLAN A. P. STRADLING
J. J. COSGROVE EMIL G. PERROT W. H. TIMBIE
F. H. KINDL N. A. RICHARDS MALVERDA A. HOWE
GRENVILLE T. SNELLING HERMAN C. BERRY
RUDOLPH P. MILLER DANIEL E. MORAN
WALLACE C. SABINE CHARLES P. WARREN

1856 pages, 4 1/4 by 7 inches. Fabrikoid, \$5.00. Advance to \$6.00 Aug. 20.

U. P. C. BOOK COMPANY, Inc.
Successor to The American Architect Book Dept.
241-249 West 39th Street New York

Robert W. Chanler


Designer, in Co-operation With Architects, of DISTINCTIVE ROOMS

With Special Reference to

Ceilings, Overmantels, Stained and Painted Glass

STUDIOS: 147 AND 149 EAST 19TH STREET, NEW YORK

Architects are invited to view the important work now being executed in these studios, or to ask for photographs of completed work.



**A KIMBALL
PIPE ORGAN**
for a
*Country
House*

Inquiries regarding space or plans receive prompt attention.

W. W. Kimball Co.
300-310 S. Wabash Ave.
Established 1857
Chicago

“Interlocked” Grating Clog-Proof Clean



and
stronger
than the bars
from which it is made.

For the cross members hold against buckling and refill the dove-tail lock feature. Has no wedge shaped apertures to entangle filth. Easily painted and practically self-cleaning. The design is simple and clean and unusually attractive for architectural use.

Let us send the rest of the story.

*S. M. C. Beam
and Girder Cag-
ing. Fabricated
Steel and Plate
Work. Inter-
locked Guards
and Gratings*

Mitchell-Tappen Co.
15 JOHN STREET
NEW YORK CITY



KINNEAR

ROLLING AND
BIFOLDING DOORS
of
STEEL AND WOOD

Complete Labeled Service

Our Engineering Department will supply drawings and specifications upon request. Write for catalogue.

THE KINNEAR MANUFACTURING CO.
701-751 Field Ave., Columbus, Ohio, U. S. A.

APPALACHIAN TENNESSEE MARBLE

Our facilities for the prompt turning out of work are unsurpassed. We employ the most skilled mechanics and spare neither time nor expense in furnishing first-class work.

SAMPLES ON REQUEST

APPALACHIAN MARBLE CO.
KNOXVILLE TENNESSEE

POMEROY FIRE RETARDANT WINDOWS



Not Made to Meet a Price, But
To Set a Standard of Service

Send for our literature on
Windows and Partitions

S. H. POMEROY COMPANY, Incorporated
282-296 EAST 134th ST. NEW YORK

INDEX OF ADVERTISERS

Aeroshade Co., The (e.f.w.).....
 Aluminum Cooking Utensil Co., The (o.a.m.).....
 American Abrasive Metals Co. 31
 American Elevator & Machine Co., Inc. 24
 American Face Brick Assn. (e.o.w.)
 American Lead Pencil Co. (o.a.m.)...
 American Pressweld Radiator Corp. (e.f.w.).....
 American Radiator Co. (o.a.m.).... 13
 American Rolling Mill Co., The (e.f.w.)..... 2
 American Sheet & Tin Plate Co. 24
 American Steel & Wire Co. 38
 American Walnut Mfrs. Association (e.o.w.).....
 Appalachian Marble Co. 41
 Associated Tile Mfrs., The (e.o.w.)
 Atlantic Insulated Wire & Cable Co. 34
 Atlas Portland Cement Co. 40
 Automatic Refrigerating Co. (e.f.w.)
 Barrett Co. (e.f.w.)..... 11
 Benjamin Elec. Mfg. Co. (e.f.w.)...
 Berger Mfg. Co., The..... 40
 Best Bros. Keene's Cement Co. (e.o.w.)..... 32
 Bishopric Mfg. Co., The..... 40
 Bostwick Steel Lath Co. 40
 Boyle, John, & Co., Inc. 39
 Brooks, J. A. (e.f.w.).....
 Brunswick Refrigerator Co. 21
 Buffalo Forge Co. 42
 Burt Mfg. Co. 9
 Cabot, Samuel, Inc. 9
 Cahill Iron Works, The..... 24
 California Redwood Assn. (o.a.m.)...
 Carey, Philip Co., The..... 39
 Carrier Air Conditioning Co. of America
 Carter Bloxonend Flooring Co. (e.f.w.) 31
 Carter, Ralph B., Co. 24
 Carter White Lead Co. (e.o.w.)..... 41
 Chanler, R. W. 41
 Clinton-Wright Wire Co. (o.a.m.)...
 Clow, James B., & Sons..... 40
 Commonwealth Brass Corp. 36
 Concrete Engineering Co. (e.o.w.)...
 Concrete Steel Co.
 Crampton Farley Brass Co. (e.o.w.)...
 Crane Co. 8
 Crittall Casement Window Co. (e.o.w.)..... 33
 Curtis Companies (o.a.m.).....
 Deming Co. 40
 Detroit Steel Products Co. 6
 Dixon Crucible Co., Jos. 35-42
 Dunham, C. A., Co. (o.a.m.).....
 Edison Electric Appliance Co. (o.a.m.) 45
 Edwards Mfg. Co. 24
 Electric Cable Co. (o.a.m.).....

Faber, Eberhard
 French, Samuel H., & Co.
 Frigidaire Corp. (e.f.w.).....
 General Electric Co. 20
 General Fireproofing Co. (o.a.m.)...
 General Slate Co. 39
 Gillis & Geoghegan (e.f.w.).....
 Gold Car Heating & Lighting Co. (e.f.w.).....
 Gorham & Co. (e.f.w.).....
 Habirshaw Electric Cable Co., The..
 Harriman Industrial Corporation... 9
 Hart & Hegeman Mfg. Co., The (e.o.w.).....
 Hartman-Sanders Co. 36
 Haynes Selling Co.
 Hemlock Manufacturers, The (o.a.m.)
 Higgins & Co., Chas. M. (e.o.w.)... 40
 Hoffman, Andrew, Mfg. Co.
 Hoffman Specialty Co. (e.o.w.)... 23
 Hunt, Robert W., & Co. (e.o.w.)...
 Hydrex Felt & Engineering Co., The (e.o.w.).....
 Imperial Paint Co. (e.f.w.)..... 16
 Indiana Limestone Quarrymen's Assn. (o.a.m.).....
 Isko Co. (o.a.m.).....
 Jenkins Bros. 27
 Johns-Manville Co., H. W. (o.a.m.)...
 Johnson Service Co. (e.o.w.).....
 Kaestner & Hecht Co. 40
 Kawneer Mfg. Co. (e.f.w.).....
 Kerner Incinerator Co. (e.o.w.)...
 Kimball Co., W. W. 41
 Kinnear Mfg. Co. 41
 Kohler Co. (o.a.m.).....
 Lawson Mfg. Co.
 Long-Bell Lumber Co., The (o.a.m.)...
 Lord & Burnham (e.f.w.)..... 18
 Lunken Window Co.
 Lupton's, David, Sons Co. (e.o.w.)... 22
 Maddock's, Thomas, Sons Co. 24
 Magnesia Assn. of America (e.f.w.)...
 Manufacturing & Sales Corp. 38
 Matthews Bros. Mfg. Co. 38
 McCray Refrigerator Co. (e.o.w.)...
 McKinney Mfg. Co. 42
 Merchant & Evans Co. (e.f.w.)...
 Midland Terra Cotta Co. (e.o.w.)... 25-26
 Milwaukee Corrugating Co. 28
 Minwax Co., Inc. (e.f.w.).....
 Mississippi Wire Glass Co. 35
 Mitchel Tappen Co. (e.o.w.)..... 41
 Moline Heat (e.o.w.)..... 37
 Monarch Metal Weather Strip Co. (o.a.m.).....
 Moore, Benjamin, Co. 37
 Morgan Sash & Door Co.
 Muller, F. R., & Co. 37
 Murphy Varnish Co. (o.a.m.).....

National Kellastone Co., The..... 38
 National Metal Molding Co. 15
 Natural Slate Blackboard (o.a.m.)...
 North Carolina Pine Assn.
 North Western Expanded Metal Co. (e.f.w.).....
 Norton Co. (o.a.m.).....
 Oak Flooring Mfrs. Assn. (e.f.w.)... 16
 Okonite Co. (e.o.w.)..... 19
 Otis Elevator Co., The.....
 Patton Paint Co. (o.a.m.).....
 Permutit Co. (e.f.w.).....
 Pickrel Walnut Co.
 Pitcairn Varnish Co. (o.a.m.)...
 Pitts & Kitts Mfg. & Supply Co.
 Pomeroy, S. H., Co., Inc. 41
 Quantity Survey Co. 33
 Radium Luminous Materials Co. (e.o.w.)
 Raymond Concrete Pile Co. 46
 Refinite Co. (e.f.w.).....
 Reliance Fireproof Door Co.
 Richards-Wilcox Mfg. Co. (e.o.w.)...
 Rising & Nelson Slate Co. 40
 Robertson, H. H., Co.
 Rookwood Pottery Co. (e.f.w.)...
 R. U. V. Co. (e.f.w.).....
 Samson Cordage Works. 24
 Sargent & Co. (e.o.w.).....
 Sherwin-Williams Co. 3
 Society of Beau Arts Architects... 16
 Solry Tile Mfg. Co. (e.f.w.)..... 36
 Standard Textile Products Co., The. 42
 Stanley Works 38
 Stromberg-Carlson Telephone Mfg. Co. 36
 Structural Slate Co. (e.o.w.).....
 Trus-Con Laboratories, The (o.a.m.)
 Truscon Steel Co. 43-44
 University of Michigan..... 16
 University of Notre Dame..... 16
 U. S. Cutta Percha Paint Co. (o.a.m.) 41
 U. S. Gypsum Co. 4
 Vapor Heating Co. (e.o.w.)..... 30
 Varon, D.
 Wagner Mfg. Co. (e.o.w.)..... 24
 Weisz, G. A. 16
 Wells Bros. Construction Co. (e.o.w.)
 Western Brick Co. (o.a.m.).....
 Williams, Franklin 39
 Wilson, J. G., Corp., The..... 28
 Window Wall Co. (o.a.m.)..... 29
 Winslow Bros. 40
 Wood-Mosaic Co. (e.o.w.)..... 30
 Yale & Towne Mfg. Co. (o.a.m.)...
 Yale School of Fine Arts..... 16

Ads. marked E.O.W. appear every other week

Ads. marked E.F.W. appear every fourth week

Ads. marked O.A.M. appear once a month

"Wipe off the Dirt"

SANITAS

MODERN WALL COVERING

Write for booklet and samples

Sanitary, sensible, economical. Styles and colors for any interior. Can't fade or crack. Impervious to water and grease spots. An expert decorator at your service to suggest and advise—write us. The Standard Textile Products Co., 320 Broadway, Dept. F, New York 4-3



PROTECTION FOR STEEL

Because there is no way of getting at the steel framework of buildings, it is necessary to protect it for as long as possible.

DIXON'S SILICA GRAPHITE PAINT

is ideal for this purpose and has an unbeaten record of long service. Booklet 14-B.

Made in Jersey City, N. J., by the

JOSEPH DIXON CRUCIBLE COMPANY

Established 1827



MCKINNEY BUTTS FOR ALL DOORS

LITERATURE ON REQUEST

MCKINNEY MANUFACTURING CO., PITTSBURGH, PA., U. S. A.

Buffalo

It's significant that the largest schools and public buildings in the U. S. are equipped with

Buffalo Heating & Ventilating apparatus

Write Dept 11

Buffalo Forge Co. Buffalo, N. Y.

Everything in Reinforcing Steel



Kahn Trussed Bars—Various Sizes—All types of shearing—All lengths




Square Rib Bars—All sizes—Straight or Bent



Round Rib Bars—All sizes—Straight or Bent




Ribbed Steel Floretyles



Corrugated Steel Floretyles




Hy-Rib and Metal Lath—All depths—All types—All weights



Rib Metal—8 sizes



Expanded Metal—All styles



Column Hooping—Complete or in coils



Wire Mesh

Large Stocks—Prompt Shipments—Expert Service—Tell Us Your Requirements—Get Our Estimates

TRUSCON STEEL COMPANY

YOUNGSTOWN, OHIO

Warehouses and Representatives in Principal Cities



TRUSCON REINFORCED CONCRETE



Free aids to production-



come *in* through *the* windows

DAYLIGHT and fresh air, these in abundance are *free* to the factory owner who puts foresight into the purchase of his windows.

A mistake made when the building is planned often means expensive illumination and ventilating problems.

Truscon Steel Windows are designed to meet all requirements for industrial buildings. Steel Sash provides daylight and fresh air which increase production, make accuracy more certain, and stimulate the vitality of workmen. Complete protection against weather and fire is afforded.

Truscon Steel Windows are conspicuous by their attractive appearance—their lines are clean cut. No unnecessary projections mar their surfaces.

Hardware, workmanship, design and construction—each detail has been given the attention of experts in the manufacture of high quality steel products.

Truscon Steel Windows are carried in warehouse stock. Practically every lighting and ventilating problem can be solved by our thirty different types and sixty sizes. And their cost is moderate—made so by standardization and large production.

We shall be glad to help solve your problems. Our book "Truscon Steel Windows" will be sent free on request. It is a complete hand book of modern window construction, containing details, tables, specifications, illustrations, etc.—valuable to any manufacturer, architect or builder.



**TRUSCON STEEL
COMPANY
YOUNGSTOWN, OHIO**

Warehouses and Sales
Offices in Principal Cities

Reinforcing Steel, Metal Lath, Steel
Windows, Steel Buildings, Pressed
Steel, Cement Tile, etc.

Фундаментальный
Библиотека
Военно-Инженерной Академии
Р.К.С.А.



IN the past few years due to the steady increase in the cost of living there has been a tendency on the part of small families to give up their large homes and to move into small apartments. In these apartments, where there is not an inch of waste room, the modern kitchenette has come into its own. And the small, tidy, efficient kitchenette has been made possible by the electric range.

**Clean,
Cool and Convenient**



The electric range is ideal for the modern small apartment because of its cleanliness, coolness and convenience.

It is desirable from the standpoint of both the owner and the tenant.

There are no gases nor fumes to vitiate the air of the small kitchen.

There is no soot to dirty the walls and woodwork.

There is no danger of fire, explosion or asphyxiation.

This of course means minimum upkeep for the owner and maximum satisfaction for the tenant.

The range, built in many styles and sizes, is well adapted to use where space is at a premium.

Let our Engineering Department at the Chicago office take up the matter of apartment house installations with you.

Specifications appear in the American Architect Specification Manual.

EDISON ELECTRIC APPLIANCE CO., INC.

Chicago


New York

Ontario, Calif.

Atlanta

Raymond

COMPOSITE PILES



RAYMOND COMPOSITE PILES

were used under one of the three great concrete Warehouses of the New Orleans Army Base "to avoid the great difficulties and consequent delays of excavation"—(quoted from article by Geo. H. Davis, of Ford, Bacon & Davis, Supervising Engineers). Raymond Composite Piles make possible piles of unusual depth, regardless of water level and at *minimum cost*. The illustration explains the method. Note the reinforced joint and the use of the spirally reinforced steel shell that is left in the ground.

A Form for Every Pile—

A Pile for Every Purpose

Raymond Concrete Pile Company

New York: 140 Cedar St. Chicago: 111 W. Monroe St.
Montreal, Canada: Raymond Concrete Pile Company, Ltd.